

Brand: Versa

COLOURWAY CARD





A213-019 LENTIL



A213-064 PAMPAS



A213-156 WHEAT



A213-263 PYRUS



A213-302 TAHITIAN



A213-394 SHALLOW LAGOON



A213-481 OCHRE



A213-525 BURNT UMBER



A213-620 FLAX



A213-743 GOLDEN GRASS



A213-838 CERAMIC



A213-879 NOCTURNAL



Isla Grass has a realistic grasscloth appearance combining aesthetic appeal with practical features, an excellent choice for commercial environments

Bleach CleanableHPD Certified	• Low VOC	EPD Certified
Description	Isla Grass has a realistic grasscloth appearance enhanced by a crisp horizontal emboss with raised slats.	
	The intricate print over multi-color slubs provides additional dimension to the design.	
	The 12-SKU palette represents a wide range of landscape inspiration from sprawling pampas fields to tranquil lagoons bringing a touch of nature into any interior space. Type II 20 oz.; Osnaburg backing; reverse hang / random match installation.	
Roll Size	132/137cm x 27.4m - Available by the lineal metre.	
Weight	452 (g/m²)	
Composition	Vinyl face on a woven backing 20oz (452 g/m²)	
Pattern Repeat Size	Not Applicable	



Environmental Info	Formaldehyde free
--------------------	-------------------

Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg

Warranty

5-year warranty. Visit baresque.com.au/warranty for complete details.

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang / overlap and double cut.

Baresque recommends and supply Roman brand adhesives and primers.



Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of us:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.