

ALSACE

Wallcoverings » Commercial Wallcoverings



Brand: **Versa**

1300 306 399

info@baresque.com.au

baresque.com.au


1 of 5

ALSACE


Wallcoverings » Commercial Wallcoverings

COLOURWAY CARD


COLOURWAY CARD




AVF23-009
SNOWBIRD




AVF23-014 COEXIST



AVF23-151 ARCH



AVF23-178 GOLD
LEAF




AVF23-382 OXIDE




AVF23-426
PICTURESQUE



AVF23-637 FACADE



AVF23-654 MODULAR



AVF23-802 CREST



AVF23-843
PHILOSOPHY



AVF23-886 GRAPHITE



AVF23-898 DARK
MATTER

ALSACE

Wallcoverings » Commercial Wallcoverings



Alsace is a heavy-duty commercial wallcovering with exceptional resistance to tearing and pulling. It's PVC-free and made of 30% recycled content.

- Bleach Cleanable
- Low VOC
- EPD Certified
- HPD Certified
- PVC-Free

Description	<p>Alsace is a distinctive, small-scale masonry design that mimics slatted tile or stone.</p> <p>This design is remarkably sculptural with overlapping rectangles at varying depths. In addition, each slat is decoratively etched to create a dynamic collaged effect.</p> <p>Classic and vintage neutrals from cool white to gold leaf to warm black round out this 12-SKU palette. PVC-free Olefin composite; 30% recycled content; Type III 33 oz.; Drill backing; reverse hang / random match installation.</p>
Roll Size	132/137cm x 27.4m - Available by the lineal metre.
Weight	745 (g/m²)
Composition	Vinyl face on drill backing 33oz (745g/m²)
Pattern Repeat Size	Not Applicable

Environmental Info	<p>Versa's range of PVC wallcoverings is manufactured from 20% recycled content.</p> <ul style="list-style-type: none">-Free of antimicrobials- Phthalate free- Heavy metal free-Low VOC emitting- CA 01350 complaint-Free of toxic flame retardants- Formaldehyde free- BPA Free
--------------------	--

Fire Rating	<p>Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.</p> <p>Classification - Group 3 Specific Extinction - Less than 250m²/kg</p>
-------------	---

Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.
----------	--

Lead Time	<ul style="list-style-type: none">• 2-weeks (approx.) from Wednesday, subject to stock availability.• Additional 1-week for Western Australia.• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
-----------	---

Suggested Installation	<p>Reverse hang / overlap and double cut.</p> <p>Baresque recommends and supply Roman brand adhesives and primers.</p>
------------------------	--

ALSACE

Wallcoverings » Commercial Wallcoverings

Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of us:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
