

WEFT VERSA

Wallcoverings » Commercial Wallcoverings



Brand: **Versa**

Applications: **Walls**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 4

WEFT VERSA

Wallcoverings » Commercial Wallcoverings

A refined textured wallcovering with subtle tonal variation. Designed as a calm, versatile backdrop for commercial interiors.

✓ **Low VOC**

✓ **EPD Certified**

✓ **HPD Certified**

Description	Weft delivers a quiet sense of depth through a finely textured surface and gentle tonal movement. The design creates visual interest without pattern, offering a composed, architectural backdrop that supports a wide range of interior styles. Designed to coordinate seamlessly with Solara, Weft provides balance and restraint, allowing feature walls to stand out while maintaining cohesion across a space. Its understated texture adds warmth and materiality without visual distraction, making it ideal for large wall expanses and layered interior schemes. Finished with a durable vinyl surface on an Osnaburg backing, Weft is designed for commercial environments where performance and longevity are essential. Ideal for hospitality, workplace, and public interiors, it offers subtle sophistication with enduring appeal.
Composition	Type II vinyl wallcovering with osnaburg backing (452 g/m²)
Pattern Repeat Size	N/A
Roll Size	132/137cm x 27.4m - Available by the lineal metre.
Weight	452 g/m²
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings. The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	Reverse hang, / match and cut Baresque recommends and supply Roman brand adhesives and primers.

WEFT VERSA

Wallcoverings » Commercial Wallcoverings

Care Instructions

Use a natural sponge or soft cloth with a mild soap or detergent solution diluted in water.

If stronger cleaning is required, use a liquid household cleaner; always test first in an inconspicuous area.

Stubborn deposits can be gently treated with a soft bristle brush.

Rinse thoroughly with clean, clear water and dry with an absorbent cloth.

Do not use caustic, solvent-based, or abrasive cleaners. These can cause discolouration, particularly on metallic finishes.

Never mix cleaning agents.

Repeated use of strong cleaners may reduce the flexibility and performance of vinyl wallcoverings.

If the care instructions do not achieve the desired result, stop cleaning immediately and contact Baresque for further guidance.

Warranty

5-year warranty. Visit baresque.com.au/warranty for complete details.

WEFT VERSA

Wallcoverings » Commercial Wallcoverings


Colour & Finish Options




COLOURWAY CARD



A220-003 –
CHANTILLY



A220-023 –
SOFTSPOKEN



A220-092 – CLOUD



A220-134 –
DRIFTWOOD



A220-185 – PRAIRIE



A220-206 – ELM



A220-367 – CURRENT




A220-449 – AURORA



A220-487 – CHAI




A220-596 – ORCHID



A220-651 – BURROW




A220-712 – FRENCH
DOORS




A220-816 – DARK
WASH



A220-848 – CLIFFSIDE



A220-850 – LAGOON



A220-874 – MINERAL