

SIDE GRADATION

Wallcoverings » Architectural Film



Brand: **Sangetsu**

Collections: **Glass Film**

Applications: **Glass**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 5

SIDE GRADATION

Wallcoverings » Architectural Film



Side Gradation GF1909 SANDY G

SIDE GRADATION

Wallcoverings » Architectural Film

CLEAS Side Gradation is designed to provide privacy and enhance the aesthetic appeal of glass surfaces. Featuring a gradient pattern that transitions from one side, this film allows for creative design possibilities while maintaining functionality.

Description

CLEAS Side Gradation delivers a contemporary balance of privacy and design, using a gradual tonal transition from one edge to create a subtle yet impactful visual effect on glass surfaces. It allows for creative freedom in glazing design while still maintaining functionality and light flow throughout the space.

Manufactured using high-transparency polyester film, it ensures excellent optical clarity for a clear external view, while also helping to block up to 97% of infrared heat for improved interior comfort. Suitable for residential, commercial and hospitality applications, it offers a versatile and design-led solution for enhancing windows, doors and glazed partitions.

Composition

High-clarity polyester (PET) film with functional coating, and durable scratch-resistant finish

Pattern Repeat Size

Various. See Glass Film Product Specification Download for details

Roll Size

Various. See Glass Film Product Specification Download for details.

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Care Instructions

Clean using a soft cloth or rubber squeegee with clean, warm water.

For more persistent soiling, use a mild neutral detergent diluted to 1–2% with water. Gently wipe the surface in a single direction, then rinse thoroughly with clean water to remove any residue.

Do not scrub back and forth, as this may damage the surface.

Do not dry-wipe, as this may cause fine scratches.

Avoid leaving dirt or debris on the surface, as this may accelerate wear. Regular cleaning is recommended to maintain appearance and performance.

Do not use ammonia-based cleaners, chlorine-based cleaners, organic solvents, or abrasive cleaning agents.

Do not apply stickers, tape, or labels to the surface, and avoid writing on the material. Prevent any actions that may scratch or damage the film.

SIDE GRADATION

Wallcoverings » Architectural Film


Warranty

2-year warranty. Visit baresque.com.au/warranty for complete details.


SIDE GRADATION

Wallcoverings » Architectural Film


Colour & Finish Options




GF1702 CIRCULAR




GF1703 HORIZON




GF1816 KOLMIO



GF1817 DIGITALISM



GF1818 CIRCULAR
BLACK



GF1907 PRICKLY



GF1908 LOSKA G



GF1909 SANDY G