

FOG SIDE GRADATION

Wallcoverings » Architectural Film



Brand: **Sangetsu**

Collections: **Glass Film**

Applications: **Glass**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 4

FOG SIDE GRADATION

Wallcoverings » Architectural Film

CLEAS Fog Side Gradation enhances privacy with a refined side-to-clear frosted transition, adding a sophisticated finish to glass surfaces while maintaining openness.

Description	CLEAS Fog Side Gradation introduces a refined visual transition that moves from frosted to clear, offering a subtle way to balance privacy with openness across glass surfaces. Ideal for railing glass, it provides targeted privacy from below without compromising natural light. Manufactured using high-transparency polyester film, it provides excellent optical clarity for an unobstructed external view, while also helping to block up to 97% of infrared heat for improved interior comfort. Suitable for residential, commercial and hospitality settings, it delivers a functional yet design-focused solution for enhancing glazed environments.
Composition	High-clarity polyester (PET) film with functional coating, and durable scratch-resistant finish
Pattern Repeat Size	Various. See Glass Film Product Specification Download for details
Roll Size	Various. See Glass Film Product Specification Download for details.
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Care Instructions	Clean using a soft cloth or rubber squeegee with clean, warm water. For more persistent soiling, use a mild neutral detergent diluted to 1–2% with water. Gently wipe the surface in a single direction, then rinse thoroughly with clean water to remove any residue. Do not scrub back and forth, as this may damage the surface. Do not dry-wipe, as this may cause fine scratches. Avoid leaving dirt or debris on the surface, as this may accelerate wear. Regular cleaning is recommended to maintain appearance and performance. Do not use ammonia-based cleaners, chlorine-based cleaners, organic solvents, or abrasive cleaning agents. Do not apply stickers, tape, or labels to the surface, and avoid writing on the material. Prevent any actions that may scratch or damage the film.

FOG SIDE GRADATION

Wallcoverings » Architectural Film

Warranty

2-year warranty. Visit baresque.com.au/warranty for complete details.

FOG SIDE GRADATION

Wallcoverings » Architectural Film

Colour & Finish Options



GF1861 FOG 1500S