

MATERIALS STONE / RUST

Wallcoverings » Architectural Film



Brand: **Sangetsu**

Collections: **Glass Film**

Applications: **Glass**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 5

MATERIALS STONE / RUST

Wallcoverings » Architectural Film



Materials Stone / Rust GF1802 MARBLE



Materials Stone / Rust GF1866 IRON RUST

MATERIALS STONE / RUST

Wallcoverings » Architectural Film

CLEAS Materials Stone / Rust captures the raw character of natural stone and weathered metal, bringing a rich, tactile aesthetic to glass surfaces.

Description

CLEAS Materials Stone / Rust brings together the rugged character of natural stone and weathered metal, translating these organic surfaces into a refined finish for glass. It introduces strong visual texture and an architectural edge, helping to elevate interior glazing with a distinctive, design-led aesthetic.

Manufactured using high-transparency polyester film, it delivers excellent optical clarity for a clear external view, while also helping to block up to 97% of infrared heat for improved interior comfort. Suitable for residential, commercial and hospitality environments, it provides a durable and versatile solution for windows, doors and glazed partitions.

Composition

High-clarity polyester (PET) film with functional coating, and durable scratch-resistant finish

Pattern Repeat Size

Various. See Glass Film Product Specification Download for details

Roll Size

Various. See Glass Film Product Specification Download for details.

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Care Instructions

Clean using a soft cloth or rubber squeegee with clean, warm water.

For more persistent soiling, use a mild neutral detergent diluted to 1–2% with water. Gently wipe the surface in a single direction, then rinse thoroughly with clean water to remove any residue.

Do not scrub back and forth, as this may damage the surface.

Do not dry-wipe, as this may cause fine scratches.

Avoid leaving dirt or debris on the surface, as this may accelerate wear. Regular cleaning is recommended to maintain appearance and performance.

Do not use ammonia-based cleaners, chlorine-based cleaners, organic solvents, or abrasive cleaning agents.

Do not apply stickers, tape, or labels to the surface, and avoid writing on the material. Prevent any actions that may scratch or damage the film.

MATERIALS STONE / RUST

Wallcoverings » Architectural Film

Warranty

2-year warranty. Visit baresque.com.au/warranty for complete details.

MATERIALS STONE / RUST

Wallcoverings » Architectural Film

Colour & Finish Options



GF1802 MARBLE



GF1863 SHINY
MARBLE



GF1864 SHINY ONYX



GF1866 IRON RUST