

JAPANESE

Wallcoverings » Architectural Film



Brand: **Sangetsu**

Collections: **Glass Film**

Applications: **Glass**

1300 306 399

info@baresque.com.au

baresque.com.au


1 of 5

JAPANESE

Wallcoverings » Architectural Film



Japanese GF1748 KOZUE



Japanese GF1838 ASANOHA KURO KIRIKO

JAPANESE

Wallcoverings » Architectural Film

CLEAS Japanese features patterns and textures inspired by traditional Japanese art and architecture, adding a touch of cultural sophistication to your interiors.

Description	CLEAS Japanese draws on traditional Japanese art and architectural influences to introduce a refined, cultural aesthetic to glazed surfaces. The collection brings a sense of balance and visual harmony to interior spaces, making it well suited to environments where subtle decorative detail is desired without compromising light or openness. Manufactured using high-transparency polyester film, it delivers excellent optical clarity for a clear external view, while also helping to block up to 97% of infrared heat for improved interior comfort. Durable and versatile, CLEAS Japanese is ideal for residential, commercial and hospitality applications, offering a sophisticated way to enhance windows, doors and glazed partitions.
Composition	High-clarity polyester (PET) film with functional coating, and durable scratch-resistant finish
Pattern Repeat Size	Various. See Glass Film Product Specification Download for details
Roll Size	Various. See Glass Film Product Specification Download for details.
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Care Instructions	Clean using a soft cloth or rubber squeegee with clean, warm water. For more persistent soiling, use a mild neutral detergent diluted to 1–2% with water. Gently wipe the surface in a single direction, then rinse thoroughly with clean water to remove any residue. Do not scrub back and forth, as this may damage the surface. Do not dry-wipe, as this may cause fine scratches. Avoid leaving dirt or debris on the surface, as this may accelerate wear. Regular cleaning is recommended to maintain appearance and performance. Do not use ammonia-based cleaners, chlorine-based cleaners, organic solvents, or abrasive cleaning agents. Do not apply stickers, tape, or labels to the surface, and avoid writing on the material. Prevent any actions that may scratch or damage the film.

JAPANESE

Wallcoverings » Architectural Film


Warranty

2-year warranty. Visit baresque.com.au/warranty for complete details.


JAPANESE

Wallcoverings » Architectural Film


Colour & Finish Options




GF1746 SHIROTAE




GF1747 UNRYU




GF1748 KOZUE




GF1750 SHIPPO
KUMOHADA




GF1752 ASANOHA
KUMOHADA




GF1753 ICHIMATSU
KUMOHADA



GF1836 SHIRAGINU



GF1837 ASANOHA
KIRIKO



GF1838 ASANOHA
KURO KIRIKO