

Brand: Versa

Applications: Walls



Wallcoverings » Advanced Wall Protection

Omicron is a 132cm wide wall protection that's resistant to scratches and stains. It Installs like a wallcovering. Available in 9 colours.

✓ Easy Clean✓ High Stain Resistance	Extended WarrantyUltra Performance
Advanced Wall Protection options offer performance, easy installation and high Withstands impact * Scratch and wear I stains * Bleach cleanable * Installs like a	quality design. Features + Benefits: * ayer * Maximum durability and resistance to
Extra thick vinyl face on a drill fabric ba	cking Equivalent to 37oz (859 g/m²)
Formaldehyde free	
Heavy metals free	
Perfluorooctanoic acid free	
No solvent inks	
Low VOC emissions. Any VOCs dissipat ventilation and have no recognized adventilation	e quickly (faster than paint) through normal erse impact on indoor air quality.
Durability means products do not need tear and being cleanable, vinyl products environments clean of bacteria.	to be replaced regularly due to wear and sare ideal for helping keep commercial
	facturers that comply with applicable state ry that is safe and clean for its employees to he manufacturing process to minimize
N/A	
132cm wide x 18.2m - Available by the h	alf (9.1m) or full roll (18.2m) only
Group Number classification as required Australia for the control of fire spread o	
	Advanced Wall Protection options offer performance, easy installation and high Withstands impact * Scratch and wear I stains * Bleach cleanable * Installs like a Extra thick vinyl face on a drill fabric bate. Extra thick vinyl face on a drill fabric bate. Formaldehyde free Heavy metals free Perfluorooctanoic acid free No solvent inks Low VOC emissions. Any VOCs dissipate ventilation and have no recognized advocate and being cleanable, vinyl products environments clean of bacteria. Baresque will only deal with vinyl manurand federal regulations, provide a factor work in, recycle scrap and inks during the waste related to production. N/A 132cm wide x 18.2m - Available by the harmonic products and accordance with AS ISO 9705. Group Number classification as required.



Classification - Group 2

Specific Extinction - Less than 250m²/kg

OMICRON

Wallcoverings » Advanced Wall Protection

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang alternate drops/overlap and double cut.

Advanced Wall Protection requires a specific installation method and we strongly recommend you use one of our recommended installers.

Download the Installation Instructions for details.

Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

1. Completion:

Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer.

2. Clean-Up and Routine Maintenance:

Rigid Profiles: For general cleaning, use disinfectant cleaner.

All Purpose Cleaner Heavy Duty: Use a clean, lint-free cloth and wipe clean. Do not use any abrasive cleaning cloths or sponges.

- 1. Spray products onto profile and wipe with a dampened cloth.
- 2. Repeat process if stain remains. If cleaning product residue remains, rinse with water.

Warranty

5-year warranty. Visit baresque.com.au/warranty for complete details.



Colour & Finish Options







MDV2021 INDIGO



MDV2022 OPALINE



MDV2023 AZURE



MDV2024 SLATE



MDV2025 ASPEN



MDV2026 EGGSHELL



MDV2027 RAFFIA



MDV2028 FRENCH HORN



MDV2029 ROUGE

