LITHIC TEXTURE

Wallcoverings » Commercial Wallcoverings



Brand: Versa

Applications: Walls



Wallcoverings » Commercial Wallcoverings

Lithic Texture is a 137cm wide commercial wallcovering that offers a multicolour silk texture in 16 colours. PVC, antimicrobial and heavy metals free.

✓ Bleach Cleanable✓ PVC-Free	✓ Environmentally Friendly ✓ Phthalate Free
Description	Versa's PVC-FREE range offers you the same look, feel and performance as luxury commercial vinyl wallcoverings. A companion to Lithic, Lithic Texture offers a multicolour silk.
Composition	Olefin on a fabric backing 20oz (452 g/m²)
Environmental Info	Versa's range of PVC wallcoverings is manufactured from 20% recycled content. -Free of antimicrobials
	- Phthalate free
	- Heavy metal free
	-Low VOC emitting
	- CA 01350 complaint
	-Free of toxic flame retardants
	- Formaldehyde free
	- BPA Free
Pattern Repeat Size	N/A
Roll Size	137cm wide x 27.4m - Available by the lineal metre
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code ofAustralia for the control of fire spread on interior wall and ceiling linings.
	Classification - Group 3 Specific Extinction - Less than 250m²/kg
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.
	Additional 1-week for Western Australia.
	• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.



LITHIC TEXTURE

Wallcoverings » Commercial Wallcoverings

Suggested Installation	Reverse hang / overlap and double cut. Baresque recommends and supply Roman brand adhesives and primers.
Care Instructions	Always use a clean, white, soft cloth.
	Use cloth with any of the following in preferred order of use:
	1: Clear warm water
	2: Mild solution of liquid detergent and warm water
	3: Isopropyl Alcohol (a.k.a. rubbing alcohol)
	Remove any detergent with a clean, damp cloth. Gently pat dry.
	For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.
	Rinse with a water dampened cloth to remove bleach concentration.
	DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time.
	Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.



LITHIC TEXTURE

Wallcoverings » Commercial Wallcoverings

Colour & Finish Options





AVF11-827 STORM GREY

