
Wallcoverings » Commercial Wallcoverings



Brand: Koroseal

Applications: Walls



Wallcoverings » Commercial Wallcoverings

Montage is a 137cm wide commercial wallcovering with a woven fabric look that's available in 24 colourways. It's versatile, durable and easy to clean.

✓ Anti-Microbial	✓ Anti-Bacterial
Description	A tiny, shrunken version of the running bond seen in masonry is combined with sheen and texture to create a simple but contemporary version akin to a woven fabric.
Composition	Vinyl face on a non-woven backing Equivalent to 20oz (452 g/m²)
Environmental Info	Formaldehyde free
	Heavy metals free
	Perfluorooctanoic acid free
	No solvent inks
	Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.
	Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.
	Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.
Roll Size	137cm wide x 27.4m - Available by the lineal metre
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.
	The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.
	Additional 1-week for Western Australia.
	• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.



Wallcoverings » Commercial Wallcoverings

Suggested	
Installation	

Reverse hang / overlap and double cut.

Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

Use cloth with any of the following in preferred order of use:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

Warranty

5-year warranty. Visit baresque.com.au/warranty for complete details.

Additional Comments

Colours 87 & 91 should only be cleaned with mild ingredients such as soap, detergent and water.

Stronger, more alkaline household cleaners have the potential to damage the surface of the material along with excessive scrubbing.



Colour & Finish Options







Wallcoverings » Commercial Wallcoverings













63710 DESERT

63713 FOG

63715 MIDNIGHT

63708 PEARL





63714 STORM

63709 VAPOR