


TWIST- TEKLOOM

Fabrics » Woven Fabrics



Brand: **Tekloom**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 5

TWIST- TEKLOOM

Fabrics » Woven Fabrics

COLOURWAY CARD

COLOURWAY CARD



ALPACA




CLEMENTINE



GRANITE



PAPRIKA




RAINFALL



SPEARMINT




TAHINI



ZINC

TWIST- TEKLOOM

Fabrics » Woven Fabrics



Twist is a 137cm wide performance fabric in a whirlwind intertwining yarns. Available in 8 colourways. Bleach cleanable, ink and stain resistant.

- | | | |
|--------------------|-------------------------|---------------------|
| ● Bleach Cleanable | ● High Stain Resistance | ● Moisture Barrier |
| ● Phthalate Free | ● PVC-Free | ● Ultra Performance |
| ● Anti-Bacterial | ● Anti-Microbial | |

Description	In a whirlwind, Twist's intertwining yarns create a beautiful, lofty design. Tekloom is an innovative high-performance fused textile engineered using a new technology to chemically bond together a woven textile with the durable components of a coated fabric. The end result is a fabric with the aesthetic of a woven textile, but with the high performance characteristics of a coated fabric. Features + Benefits: * Ink and stain resistant. Clean most stains with a dry towel and water. * Bleach cleanable * Moisture barrier * Abrasion of 1 million + double rubs * Performance attributes are inherent in the product, not added
-------------	--

Roll Size	137cm x Approx 50m - Available by the lineal metre
-----------	--

Composition	Tekloom High Performance Fused Textile - Polyester 85%-88%, Graffiti-Free® Tekloom® TPE 12-15% with an acrylic backing
-------------	--

Abrasion	1,000,000 + double rubs (Wyzenbeek)
----------	-------------------------------------

TWIST- TEKLOOM

Fabrics » Woven Fabrics

Pattern Repeat Size	N/A
Environmental Info	<p>PFC free (perfluorinated compounds)</p> <p>PVC free</p> <p>Phthatalates free</p> <p>Red List free</p> <p>Anti bacterial</p> <p>FR (flame retardants),</p> <p>Tekloom complies with California Prop 65, California 01350 VOC Standard and Healthier Hospitals Initiative.</p>
Fire Rating	<p>Tested in accordance with AS1530.3</p> <p>Spread of Flame Index - 0</p> <p>Smoke Developed Index - 5</p>
Warranty	2-year warranty. Visit baresque.com.au/warranty for complete details.
Lead Time	<ul style="list-style-type: none">• 2-weeks (approx.) from Wednesday, subject to stock availability.• Additional 1-week for Western Australia.• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

TWIST- TEKLOOM

Fabrics » Woven Fabrics

Care Instructions

While Tekloom® is inherently stain resistant, it is important to keep it clean at all times to maintain the original look and feel. Spot cleaning with a clean, soft towel with clean water will remove most of the everyday stains.

Cleaning Code: W/S, Bleach (10:1), Dry Care™

DISINFECTION

Tekloom can be disinfected with a 10:1 bleach dilution of water/bleach.

Apply the solution using a misting spray bottle and gently scrub the affected area with a sponge or soft bristle brush. Allow the mixture to linger for the time specified by the facility.

Avoid soaking the seamed area to prevent the bleach from penetrating thru the protective layer.

Rinse all cleaning agents thoroughly with water and wipe with a soft cloth

Residue left by cleaning agents will degrade and shorten the life and/or affect the product's appearance if not removed.

Always test in an inconspicuous area first.
