

Brand: P3tec

Applications: Walls



BALANCE

Wallcoverings » Advanced Wall Protection



p3tec_balance_cafepromo-2.jpg

✓ Bleach Cleanable

Wallcoverings » Advanced Wall Protection

Balance is a 137cm wide wall protection with a woven look that's resistant to impact, chemicals and abrasion. Available in 20 neutral colours.

/ Easy Clean

/ Extreme Durability	/ High Stein Decistores	✓ Ultra Performance
 Extreme Durability 	✓ High Stain Resistance	V Oltra Periorinance
Description	Check out the videos to see for yourself how Advanced Wall Protection performs - Impact , Abrasion,Cleanability - or check out the brochure in the DOWNLOADS The technical innovation of P3TEC is a beautiful wall protection collection with three key advantages - High Performance, Easy to Use, Beautiful Design. Bring the look of silk, linen and wovens to high traffic, high abuse areas in healthcare, food service, transportation and more.	

Composition	Extra thick vinyl face on a neavy polyester / cotton knit fabric backing Equivalent
'	to 40oz (900g/m²)

Environmental Info	Formaldehyde free
	Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.

Extended Warranty

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Pattern Repeat Size	N/A
Roll Size	137cm. Trims to 122cm x 13.7m Available by the FULL ROLL ONLY
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.
	The result achieved was:

Classification - Group 2 Specific Extinction - Less than 250m²/kg



BALANCE

Wallcoverings » Advanced Wall Protection

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang alternate drops/overlap and double cut.

Advanced Wall Protection requires a specific installation method and we strongly recommend you use one of our recommended installers.

Download the Installation Instructions for details.

Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

1. Completion:

Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer.

2. Clean-Up and Routine Maintenance:

Rigid Profiles: For general cleaning, use disinfectant cleaner.

All Purpose Cleaner Heavy Duty: Use a clean, lint-free cloth and wipe clean. Do not use any abrasive cleaning cloths or sponges.

- 1. Spray products onto profile and wipe with a dampened cloth.
- 2. Repeat process if stain remains. If cleaning product residue remains, rinse with water.

Warranty

5-year warranty. Visit **baresque.com.au/warranty** for complete details.



Colour & Finish Options



P3T-60270 PERIWINKLE



P3T-60271 SEA GREEN



P3T-60272 AQUA



P3T-60273 BLUE SAGE



P3T-60274 ELEGANT TAUPE



P3T-60275 SANDISH



P3T-60276 PALE AMBER



P3T-60277 SUNSHINE SAND



P3T-60278 CREAM



P3T-60279 PEARLED



P3T-60280 SILVERY MIST



P3T-60281 DUSTY TRAIL



P3T-60282 ANTIQUE SILVER



P3T-60283 LIGHT GREIGE



P3T-60284 FRESH WHITE



P3T-60285 NOBLE GREY



P3T-60286 SLATE



P3T-60287 INK WELL



P3T-60288 DEEP INDIGO



P3T-60289 BLUE BELL

