TIC-TAC TEXTURE



Brand: **P3tec**

Applications: **Walls**

1300 306 399
info@baresque.com.au
baresque.com.au

baresque

TIC-TAC TEXTURE

Tic-Tac Texture is a 137cm wide wall protection with a woven look that's available in 16 colours. It's impact, chemical and abrasion resistant.

- ✓ **Bleach Cleanable**
- ✓ **Easy Clean**
- ✓ **Extended Warranty**
- ✓ **Extreme Durability**
- ✓ **High Stain Resistance**
- ✓ **Ultra Performance**

Description

Check out the videos to see for yourself how Advanced Wall Protection performs - **Impact**, **Abrasion,Cleanability** - or check out the brochure in the DOWNLOADS The technical innovation of P3TEC is a beautiful wall protection collection with three key advantages - High Performance, Easy to Use, Beautiful Design. Bring the look of silk, linen and wovens to high traffic, high abuse areas in healthcare, food service, transportation and more.

Composition

Extra thick vinyl face on a heavy polyester / cotton knit fabric backing Equivalent to 40oz (900g/m²)

Environmental Info

Formaldehyde free

Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognised adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Pattern Repeat Size

N/A

Roll Size

137cm. Trims to 122cm x 13.7m Available by the FULL ROLL ONLY

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

TIC-TAC TEXTURE

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang alternate drops/overlap and double cut.

Advanced Wall Protection requires a specific installation method and we strongly recommend you use one of our recommended installers.

Download the Installation Instructions for details.

Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

1. Completion:

Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer.

2. Clean-Up and Routine Maintenance:

Rigid Profiles: For general cleaning, use disinfectant cleaner.

All Purpose Cleaner Heavy Duty: Use a clean, lint-free cloth and wipe clean. Do not use any abrasive cleaning cloths or sponges.

1. Spray products onto profile and wipe with a dampened cloth.

2. Repeat process if stain remains. If cleaning product residue remains, rinse with water.

Warranty

5-year warranty. Visit **baresque.com.au/warranty** for complete details.

Additional Comments

P3TEC Tic Tac Texture is also available in matching Commercial Wallcovering (20oz) Remix. Go to the DOWNLOADS tab for details.

TIC-TAC TEXTURE

Colour & Finish Options


P3T-60080 THE BLUES


P3T-60081 SURFS SONG


P3T-60082 TEAL TANGO


P3T-60083 LYRICAL LEAF


P3T-60084 GOLDEN GUITAR


P3T-60085 BRASS


P3T-60086 MISTY MELODY


P3T-60087 ECRU ENSEMBLE


P3T-60088 ROCK BAND


P3T-60089 COUNTRY CHORD



P3T-60090 NIGHT VOICE


P3T-60091 DARK DUET


P3T-60092 SILVER SONATA


P3T-60093 TAUPE TEMPO


P3T-60094 NEUTRAL NOTE


P3T-60095 AIR DRUMS

1300 306 399
info@baresque.com.au
baresque.com.au

baresque