

Brand: Koroseal

Applications: Walls

Interloom is a 137cm wide commercial wallcovering that's available in 21 colourways. It's versatile, durable and easy to clean.

/	Bleach	Cleanable
----------	---------------	-----------

 Interloom intertwines the craftsmanship of a finely loomed textile with the fluidity of spun threads in a colour line of soft heather. Interloom is the coordinate to
Cooloom

Geoloom.

Composition Vinyl face on a fabric backing

Environmental Info Formaldehyde free

Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Pattern Repeat Size N/A

Roll Size 137cm wide x 27.4m - Available by the lineal metre

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Fire Rating

Group Number classification as required by the Building Code of

Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was: Classification - Group 2

Specific Extinction - Less than 250m²/kg



INTERLOOM

Lead Time

Wallcoverings » Commercial Wallcoverings

Load Timo	2 weeke cappions, new wearestay, easyest to stock availability.
	Additional 1-week for Western Australia.
	• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested	Non reverse hang/overlap double cut.
Installation	Baresque recommends and supplies Roman brand adhesives and primers.
Care Instructions	Use cloth with any of the following in preferred order of use:
	1: Clear warm water
	2: Mild solution of liquid detergent and warm water
	3: Isopropyl Alcohol (a.k.a. rubbing alcohol)
	Remove any detergent with a clean, damp cloth. Gently pat dry.
	For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.
	Rinse with a water dampened cloth to remove bleach concentration.

Always test in an inconspicuous area first.

immediately and contact Baresque for assistance.

• 2-weeks (approx.) from Wednesday, subject to stock availability.

Warranty

time.

5-year warranty. Visit baresque.com.au/warranty for complete details.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of

If care instructions don't deliver the expected results, cease cleaning method



Colour & Finish Options



4 of 4