EZ RITE



Brand: **Koroseal**

Applications: **Walls**

EZ RITE

High-quality dry erase writing surface with a slight emboss for projection capabilities on wall-to-wall and floor-to-ceiling, even on curved walls.

Description

An inexpensive yet innovative high-gloss dry erase marker surface with excellent erasability. Ideal for effective, high-impact communication, with wall-to-wall and floor-to-ceiling coverage.

This is the number-one choice for resurfacing faded and outdated chalk/marker boards. It provides a clean, bright, highly readable surface that can actually enhance teaching and learning.

EZ Rite also eliminates chalk dust associated with asthma and allergy symptoms and computer problems.

EZ Rite is applied right over existing chalk / marker boards, so it's fast, easy, and considerably less costly than replacement.

Composition

Vinyl with non-woven or pressure-sensitive adhesive backing

Roll Size

127 cm x 30.5m Available by the lineal metre.

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Can be hung vertically or horizontally.

Reverse hang, overlap and double cut.

Baresque recommends and supplies Roman brand adhesives and primers.

EZ RITE

Care Instructions	Remove dry erase markings with a microfiber cloth. Press firmly in a circular motion. Wash cloth or change erasers as they become dirty as dirty dry erase cleaning cloths and erasers will spread ink residue on the surface. For daily cleaning, or as required, rinse the surface with water. Dry the surface with a soft cloth prior to writing. See Walltalkers Care Maintenance pdf for full instructions. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Warranty	2-year warranty. Visit **baresque.com.au/warranty** for complete details.
Additional Comments	All Walltalker products should be washed with an ammonia or alcohol-based cleaner or mild soap and rinsed thoroughly with water prior to using. See Walltalkers Care Maintenance pdf for full details

EZ RITE

Colour & Finish Options

ZA 50

ZP 50

1300 306 399
info@baresque.com.au
baresque.com.au

baresque