

MATERIALS WOOD

Wallcoverings » Architectural Film



Brand: **Sangetsu**

Collections: **Glass Film**

Applications: **Glass**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 4

MATERIALS WOOD

Wallcoverings » Architectural Film



Materials Wood GF1803 CLEAR WOOD

MATERIALS WOOD

Wallcoverings » Architectural Film

CLEAS Materials Wood replicates the intricate textures and patterns of aged wood, providing a distinctive and stylish look to glass surfaces.

Description	CLEAS Materials Wood replicates the intricate textures and natural character of aged timber, bringing a warm and distinctive aesthetic to glass surfaces. Designed to allow approximately 70% light transmission, it maintains a bright and inviting atmosphere while adding depth and texture to interior spaces. Manufactured using high-transparency polyester film, it delivers excellent optical clarity for a clear external view, while also helping to block up to 97% of infrared heat for improved interior comfort. Suitable for residential, commercial and hospitality applications, it provides a durable and stylish solution for enhancing windows, doors and glazed partitions.
Composition	High-clarity polyester (PET) film with functional coating, and durable scratch-resistant finish
Pattern Repeat Size	Various. See Glass Film Product Specification Download for details
Roll Size	Various. See Glass Film Product Specification Download for details.
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Care Instructions	Clean using a soft cloth or rubber squeegee with clean, warm water. For more persistent soiling, use a mild neutral detergent diluted to 1–2% with water. Gently wipe the surface in a single direction, then rinse thoroughly with clean water to remove any residue. Do not scrub back and forth, as this may damage the surface. Do not dry-wipe, as this may cause fine scratches. Avoid leaving dirt or debris on the surface, as this may accelerate wear. Regular cleaning is recommended to maintain appearance and performance. Do not use ammonia-based cleaners, chlorine-based cleaners, organic solvents, or abrasive cleaning agents. Do not apply stickers, tape, or labels to the surface, and avoid writing on the material. Prevent any actions that may scratch or damage the film.
Warranty	2-year warranty. Visit baresque.com.au/warranty for complete details.

MATERIALS WOOD

Wallcoverings » Architectural Film

Colour & Finish Options



GF1803 CLEAR WOOD



GF1865 BRONZE
PEARL WOOD