

EXTERIOR USE FILM

Wallcoverings » Architectural Film



Brand: **Sangetsu**

Collections: **Glass Film**

Applications: **Glass**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 5

EXTERIOR USE FILM

Wallcoverings » Architectural Film



Exterior Use Film GF1850 HORIZON EX

EXTERIOR USE FILM

Wallcoverings » Architectural Film

CLEAS Horizon and Circular Exterior film is a high-performance outdoor glazing solution that reduces solar heat gain while maintaining clear outward visibility

Description

CLEAS Horizon and Circular Exterior film is a high-performance glazing solution designed for outdoor applications, helping to reduce solar heat gain while maintaining clear outward visibility. It improves energy efficiency and provides UV protection to help minimise fading of interior materials.

Manufactured using high-transparency polyester film, it delivers excellent optical clarity and helps block up to 97% of infrared heat for improved comfort. Durable and weather-resistant, it is suitable for residential, commercial and hospitality projects requiring long-lasting exterior performance.

Composition

High-clarity polyester (PET) film with functional coating, and durable scratch-resistant finish

Pattern Repeat Size

Various. See Glass Film Product Specification Download for details

Roll Size

Various. See Glass Film Product Specification Download for details.

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Care Instructions

Clean using a soft cloth or rubber squeegee with clean, warm water.

For more persistent soiling, use a mild neutral detergent diluted to 1–2% with water. Gently wipe the surface in a single direction, then rinse thoroughly with clean water to remove any residue.

Do not scrub back and forth, as this may damage the surface.

Do not dry-wipe, as this may cause fine scratches.

Avoid leaving dirt or debris on the surface, as this may accelerate wear. Regular cleaning is recommended to maintain appearance and performance.

Do not use ammonia-based cleaners, chlorine-based cleaners, organic solvents, or abrasive cleaning agents.

Do not apply stickers, tape, or labels to the surface, and avoid writing on the material. Prevent any actions that may scratch or damage the film.

EXTERIOR USE FILM

Wallcoverings » Architectural Film


Warranty

2-year warranty. Visit baresque.com.au/warranty for complete details.


EXTERIOR USE FILM

Wallcoverings » Architectural Film

Colour & Finish Options



GF1850 HORIZON EX



GF1851 CIRCULAR EX