


MATTE FROST DIFFUSE

Wallcoverings » Architectural Film



Brand: **Sangetsu**

Collections: **Glass Film**

Applications: **Glass**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 4

MATTE FROST DIFFUSE

Wallcoverings » Architectural Film

CLEAS Matte Frost Diffuse 90 features a semi-matte finish that softly diffuses light, enhancing privacy while maintaining high transparency and a refined appearance across glass surfaces.

Description

CLEAS Matte Frost Diffuse 90 creates a subtle balance between privacy and transparency, offering a refined decorative finish for glass surfaces. Its semi-matte appearance gently softens light and visibility while maintaining a bright, open feel within interior spaces.

Manufactured using high-transparency polyester film, it delivers excellent optical clarity for a clear external view, while also helping to block up to 97% of infrared heat for improved interior comfort. Suitable for residential, commercial and hospitality applications, it provides a durable and elegant solution for enhancing windows, doors and glazed partitions.

Composition

High-clarity polyester (PET) film with functional coating, and durable scratch-resistant finish

Pattern Repeat Size

Various. See Glass Film Product Specification Download for details

Roll Size

Various. See Glass Film Product Specification Download for details.

Dimensions

Available Widths: 97cm and 125cm

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

MATTE FROST DIFFUSE

Wallcoverings » Architectural Film

Care Instructions

Clean using a soft cloth or rubber squeegee with clean, warm water.

For more persistent soiling, use a mild neutral detergent diluted to 1–2% with water. Gently wipe the surface in a single direction, then rinse thoroughly with clean water to remove any residue.

Do not scrub back and forth, as this may damage the surface.

Do not dry-wipe, as this may cause fine scratches.

Avoid leaving dirt or debris on the surface, as this may accelerate wear. Regular cleaning is recommended to maintain appearance and performance.

Do not use ammonia-based cleaners, chlorine-based cleaners, organic solvents, or abrasive cleaning agents.

Do not apply stickers, tape, or labels to the surface, and avoid writing on the material. Prevent any actions that may scratch or damage the film.


Warranty

2-year warranty. Visit baresque.com.au/warranty for complete details.

MATTE FROST DIFFUSE

Wallcoverings » Architectural Film

Colour & Finish Options



GF1819 DIFFUSE 80