

PET SHATTER RESISTANT

Wallcoverings » Architectural Film

Brand: **Sangetsu**

Collections: **Glass Film**

Applications: **Glass**

CLEAS PET Shatter Resistant is a high-quality, eco-friendly transparent glass film made from recycled PET materials, designed to enhance safety and sustainability while being ideal for offices, hotels and commercial facilities.

Description

CLEAS PET Shatter Resistant films provide a sustainable safety solution by helping to reinforce glass and hold fragments together upon impact, reducing the risk of injury while maintaining clear visibility. Made from recycled PET materials, this eco-friendly transparent film supports safer and more environmentally conscious interiors without compromising on design.

Manufactured using high-transparency polyester film, it delivers excellent optical clarity while helping to block up to 97% of infrared heat for improved interior comfort. Ideal for offices, hotels, commercial facilities and other architectural applications, CLEAS PET Shatter Resistant films offer a durable and responsible solution for enhancing glass safety and performance.

Composition

High-clarity polyester (PET) film with functional coating, and durable scratch-resistant finish

Pattern Repeat Size

Various. See Glass Film Product Specification Download for details

Roll Size

Various. See Glass Film Product Specification Download for details.

Dimensions

Available Widths: 97cm, 125cm and 152.4cm

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

PET SHATTER RESISTANT

Wallcoverings » Architectural Film

Care Instructions

Clean using a soft cloth or rubber squeegee with clean, warm water.

For more persistent soiling, use a mild neutral detergent diluted to 1–2% with water. Gently wipe the surface in a single direction, then rinse thoroughly with clean water to remove any residue.

Do not scrub back and forth, as this may damage the surface.

Do not dry-wipe, as this may cause fine scratches.

Avoid leaving dirt or debris on the surface, as this may accelerate wear. Regular cleaning is recommended to maintain appearance and performance.

Do not use ammonia-based cleaners, chlorine-based cleaners, organic solvents, or abrasive cleaning agents.

Do not apply stickers, tape, or labels to the surface, and avoid writing on the material. Prevent any actions that may scratch or damage the film.


Warranty

2-year warranty. Visit baresque.com.au/warranty for complete details.

PET SHATTER RESISTANT

Wallcoverings » Architectural Film

Colour & Finish Options



GF1451 CLEICEA 90