PARK TWEED



Brand: **Symphony**

Applications: **Walls**

1300 306 399
info@baresque.com.au
baresque.com.au

baresque

PARK TWEED

A Type II vinyl wallcovering with a refined tweed-inspired texture and intricate crosshatched detailing. Featuring subtle tonal variation and a woven textile aesthetic, Park Tweed brings warmth, depth, and sophistication to commercial interiors.

- ✓ **Anti-Microbial**
- ✓ **10% Recycled content**
- ✓ **Non-Phthalate**
- ✓ **Low VOC**

Description

Bring rich texture and understated sophistication to interior spaces with Park Tweed. Inspired by the character of woven textiles, this Type II wallcovering features an intricate network of overlapping lines and subtle tonal variation that creates the appearance of a finely crafted tweed fabric. Its layered, fabric-like aesthetic adds visual depth and movement to walls while maintaining a versatile, timeless appeal suitable for hospitality, workplace, healthcare, senior living, and residential-inspired commercial environments.

Engineered for demanding commercial applications, Park Tweed combines the warmth and visual richness of woven fabric with the durability and easy maintenance of high-performance vinyl wallcovering. Featuring low VOC emissions, recycled content, and a non-phthalate formulation, it supports healthier interior environments while delivering long-lasting performance. Enhanced with inherent antimicrobial protection and designed to withstand hospital-grade cleaners and disinfectants, Park Tweed offers a durable, low-maintenance solution for high-traffic spaces.

Composition

Type II vinyl wallcovering with osnaburg backing (453 g/m²)

Environmental Info

J.Josephson is committed to providing environmentally responsible wallcovering solutions that support healthier, more sustainable interior environments.

- Low VOC
- 10% Recycled Content
- Non-Phthalate
- EPD / HPD

Pattern Repeat Size

N/A

Roll Size

132cm wide X 27.4m - Available by the lineal metre.

Weight

453 g/m²

PARK TWEED

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang, random match.

Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of us:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

4: Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.

5: It is recommended that cleaning be done with a natural sponge. A cloth or towel should only be used to tamp dry (not rub). Do not use manmade (i.e. polyester) sponges.

Warranty


5-year warranty. Visit **baresque.com.au/warranty** for complete details.

PARK TWEED


Colour & Finish Options



COLOURWAY CARD


AZ53935 WHITE SWAN


AZ53936 DOVE


AZ53937 PIGEON


AZ53938 CHARCOAL PIT


AZ53939 ICE CREAM


AZ53940 BIRCH BARK


AZ53941 TOASTY TAUPE


AZ53942 MIDNIGHT


AZ53943 KRISPIE TREAT


AZ53944 GLOW


AZ53945 PAPRIKA


AZ53946 LOVE BERRY


AZ53947 STATUARY


AZ53948 PICNIC SKY


AZ53949 DEW BLUE


AZ53950 CYPRESS

1300 306 399
info@baresque.com.au
baresque.com.au

baresque