

LA STRADA

Wallcoverings » Commercial Wallcoverings



Brand: **Volterra**

Collections: **Volterra**

Applications: **Walls**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 4

LA STRADA

Wallcoverings » Commercial Wallcoverings

A Type II vinyl wallcovering featuring metallic linework layered over a refined silk-like texture. Combining subtle sheen with durable commercial performance, La Strada adds depth and movement to interior spaces.

- ✓ Recyclable
- ✓ Bleach Cleanable
- ✓ Phthalate Free

Description	La Strada features luminous metallic detailing layered across a refined silk-inspired surface, creating a pattern with subtle texture and visual movement. The combination of soft sheen and linear design adds depth to walls while maintaining a clean and versatile appearance. Suitable for hospitality, workplace, healthcare, education, and public environments, La Strada offers a decorative finish that complements a wide range of interior styles. Constructed as a Type II vinyl wallcovering with an Osnaburg backing, La Strada is designed for demanding commercial applications. The durable vinyl surface provides long-lasting performance and easy maintenance, while the large-scale pattern repeat creates consistency across expansive wall areas. Free from phthalates and formaldehyde, La Strada combines the look of a silk-inspired decorative surface with the practicality and durability required for high-traffic interiors.
Composition	Type II vinyl wallcovering with osnaburg backing (452 g/m²)
Environmental Info	Developed with a focus on healthier interiors and responsible manufacturing, this Type II vinyl wallcovering offers a balance of performance, durability and environmental transparency. The material is free from phthalates, formaldehyde, heavy metals (RoHS) and PBDEs (brominated flame retardants), while its low VOC formulation supports improved indoor air quality in commercial environments. It is recyclable and supported by both a Health Product Declaration (HPD) and Environmental Product Declaration (EPD), providing transparency around material ingredients and environmental impact. Manufactured under a comprehensive materials recovery and reuse program, the product helps reduce production waste and promote more efficient use of resources throughout the manufacturing process.
Pattern Repeat Size	64cm V x 132cm H
Roll Size	137cm x 27.4m - Available by the lineal metre
Weight	452 g/m²

Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings. The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	Non-reverse hang. Straight across match at arrows. Baresque recommends and supplies Roman brand adhesives and primers.
Care Instructions	Always use a clean, white, soft cloth. Use cloth with any of the following in preferred order of use: 1: Clear warm water 2: Mild solution of liquid detergent and warm water 3: Isopropyl Alcohol (a.k.a. rubbing alcohol) Remove any detergent with a clean, damp cloth. Gently pat dry. For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration. DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.

Colour & Finish Options



COLOURWAY CARD



LSD5950 COCONUT



LSD5951 SAND



LSD5952 BRICK



LSD5953 SNOW



LSD5954 MINERAL



LSD5955 ALLOY



LSD5956 CITRON



LSD5957
AQUAMARINE



LSD5958 INDIGO