TAVA

Brand: **Versa**

Applications: **Walls**

1300 306 399
info@baresque.com.au
baresque.com.au

baresque

TAVA

A Type II vinyl wallcovering featuring a textured woven appearance with natural tonal variation. Combining a handcrafted aesthetic with durable commercial performance, Tava is designed for high-traffic interior environments.

✓ **Recyclable** ✓ **Bleach Cleanable** ✓ **Phthalate Free**

Description

Tava features a woven-inspired texture that balances natural character with a contemporary finish. Its layered appearance and subtle tonal variation create depth across wall surfaces, adding visual interest while maintaining a versatile look. Suitable for hospitality, workplace, healthcare, education, and public environments, Tava provides a textured backdrop that complements a wide range of interior styles.

Constructed as a Type II vinyl wallcovering with an Osnaburg backing, Tava is designed for demanding commercial applications. The durable vinyl surface provides long-lasting performance and easy maintenance, making it suitable for high-traffic environments. Free from phthalates and formaldehyde, Tava combines the appearance of a woven textile with the practicality and durability required for commercial interiors.

Composition

Type II vinyl wallcovering with osnaburg backing (452 g/m²)

Environmental Info

Developed with a focus on healthier interiors and responsible manufacturing, this Type II vinyl wallcovering offers a balance of performance, durability and environmental transparency. The material is free from phthalates, formaldehyde, heavy metals (RoHS) and PBDEs (brominated flame retardants), while its low VOC formulation supports improved indoor air quality in commercial environments.

It is recyclable and supported by both a Health Product Declaration (HPD) and Environmental Product Declaration (EPD), providing transparency around material ingredients and environmental impact. Manufactured under a comprehensive materials recovery and reuse program, the product helps reduce production waste and promote more efficient use of resources throughout the manufacturing process.

Pattern Repeat Size

N/A

Roll Size

137cm x 27.4m - Available by the lineal metre

Weight

452 g/m²

TAVA

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang, random match.

Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of use:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

Warranty

5-year warranty. Visit **baresque.com.au/warranty** for complete details.

TAVA

Colour & Finish Options

COLOURWAY CARD

A223-020 QUILL

A223-047 LOOM

A223-065 IVORY

A223-116 CLAY

A223-134 SOFT ROSE

A223-180 LILAC TAUPE

A223-242 OLIVAIRE

A223-271 VERDANT

A223-329 COASTAL

A223-396 BLUE SPRUCE

A223-438 TERRENE

A223-517 CAYENNE HUSK

A223-628 TERRA

A223-852 PUMICE

A223-854 SKYLIGHT

A223-893 MINK

1300 306 399
info@baresque.com.au
baresque.com.au

baresque