

ADESIA

Digital Print » Metallics, Textures and Timber



Brand: **Volterra**

Collections: **Archivio**

Applications: **Walls**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 4

ADESIA

Digital Print » Metallics, Textures and Timber

A digitally printed mural wallcovering featuring organic metallic veining flowing across a stone-inspired surface. Rich in movement, depth, and natural variation, Adesia creates a striking architectural backdrop for contemporary interiors.

✓ Recyclable

✓ Phthalate Free

✓ Low VOC


Description	Adesia is a digitally printed mural wallcovering inspired by the organic beauty of natural stone. Flowing metallic veining traverses the design, creating layers of movement, depth, and visual texture across the surface. The mural combines natural material influences with a refined, large-scale aesthetic suitable for hospitality, workplace, residential, retail, and public environments. Designed to make an impact on feature walls and expansive interior surfaces, Adesia is produced as a Type II vinyl mural wallcovering that balances decorative appeal with commercial-grade durability. The large-format design allows the pattern to unfold seamlessly across the wall, creating a cohesive architectural statement. Free from phthalates, formaldehyde, heavy metals, and PBDEs, and manufactured to meet low VOC indoor air quality standards, Adesia offers a durable and low-maintenance solution for modern interiors.
Composition	Type II vinyl wallcovering with osnaburg backing (452 g/m²)
Environmental Info	Developed with a focus on healthier interiors and responsible manufacturing, this Type II vinyl wallcovering offers a balance of performance, durability and environmental transparency. The material is free from phthalates, formaldehyde, heavy metals (RoHS) and PBDEs (brominated flame retardants), while its low VOC formulation supports improved indoor air quality in commercial environments. It is recyclable and supported by both a Health Product Declaration (HPD) and Environmental Product Declaration (EPD), providing transparency around material ingredients and environmental impact. Manufactured under a comprehensive materials recovery and reuse program, the product helps reduce production waste and promote more efficient use of resources throughout the manufacturing process.
Pattern Repeat Size	N/A
Roll Size	127cm x 27.4m - Need 4 Panel Set (508cm W x 304.8cm H)
Weight	452 g/m²

Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings. The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	Non-Reverse Hang. Straight Across Match in Sequence. Baresque recommends and supplies Roman brand adhesives and primers.
Care Instructions	Always use a clean, white, soft cloth. Use cloth with any of the following in preferred order of use: 1: Clear warm water 2: Mild solution of liquid detergent and warm water 3: Isopropyl Alcohol (a.k.a. rubbing alcohol) Remove any detergent with a clean, damp cloth. Gently pat dry. For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration. DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.

Colour & Finish Options



COLOURWAY CARD



DASI597 UMBER