DORATO


Digital Print » Metallics, Textures and Timber



Brand: **Volterra**

Collections: **Archivio**

Applications: **Walls**



DORATO - DDRT598 ONYX | MURAL DIMENSIONS

DORATO

Digital Print » Metallics, Textures and Timber

A digitally printed mural wallcovering featuring bold metallic veining across a marble-inspired surface. Combining dramatic contrast with refined detailing, Dorato creates a sophisticated architectural statement for contemporary interiors.

✓ **Recyclable** ✓ **Phthalate Free** ✓ **Low VOC**

Description

Dorato is a digitally printed mural wallcovering inspired by the luxurious appearance of natural marble. Striking metallic veining traverses the surface, creating depth, movement, and visual contrast against the richly toned background. The large-scale design captures the elegance of stone while introducing a contemporary edge, making it ideal for hospitality, workplace, retail, residential, and public environments. Dorato reflects a modern interpretation of Italian artistry, transforming walls into impactful architectural features.

Constructed as a Type II 20 oz. vinyl mural wallcovering, Dorato is designed to deliver both visual impact and commercial-grade durability. The four-panel mural format allows the marble-inspired pattern to flow seamlessly across feature walls and expansive interior spaces, creating a cohesive and immersive effect. Manufactured in the USA and backed with osnaburg, Dorato is free from phthalates, formaldehyde, heavy metals, and PBDEs, while meeting low VOC indoor air quality standards. The result is a durable, low-maintenance wallcovering solution suitable for a wide range of commercial and residential applications.

Composition

Type II vinyl wallcovering with osnaburg backing (452 g/m²)

Environmental Info

Developed with a focus on healthier interiors and responsible manufacturing, this Type II vinyl wallcovering offers a balance of performance, durability and environmental transparency. The material is free from phthalates, formaldehyde, heavy metals (RoHS) and PBDEs (brominated flame retardants), while its low VOC formulation supports improved indoor air quality in commercial environments.

It is recyclable and supported by both a Health Product Declaration (HPD) and Environmental Product Declaration (EPD), providing transparency around material ingredients and environmental impact. Manufactured under a comprehensive materials recovery and reuse program, the product helps reduce production waste and promote more efficient use of resources throughout the manufacturing process.

Pattern Repeat Size

N/A

Roll Size

508cm W x 304.8cm H.

Volterra Murals are supplied standard as a 4 drop set which will cover 508cm w x 304.8cm h as the final dimensions.

Each drop is supplied 132cm wide and trimmed on installation to 127cm.

Extra or less drops are available. Contact Baresque for details.

DORATO

Digital Print » Metallics, Textures and Timber

Weight	452 g/m²
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings. The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 4 weeks (approx.) from order confirmation, subject to stock availability. • Additional 1 week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	Non-Reverse Hang. Straight Across Match in Sequence. Baresque recommends and supplies Roman brand adhesives and primers.
Care Instructions	Always use a clean, white, soft cloth. Use cloth with any of the following in preferred order of use: 1: Clear warm water 2: Mild solution of liquid detergent and warm water 3: Isopropyl Alcohol (a.k.a. rubbing alcohol) Remove any detergent with a clean, damp cloth. Gently pat dry. For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration. DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Warranty	5-year warranty. Visit **baresque.com.au/warranty** for complete details.


DORATO

Digital Print » Metallics, Textures and Timber

Colour & Finish Options



COLOURWAY CARD



DDRT598 ONYX