
LUCERE MIRROR



Brand: **Lucere**

Applications: **Cladding**

LUCERE MIRROR







LUCERE MIRROR

Sophistication and timelessness of mirror with the ease and cost effectiveness of acrylic.

✓ **Cost Effective**

Description	FEATURES * Cost effective * Utilise in plain, Engrave, cladding and screens * Fabricate with standard wood-working tools
How to Specify	1. Colour 2. Size - Mirror only: available in Sheet Size 2440mm x 1220mm x 3mm Mirror on Ply: 3 sizes and single or double sided
Composition	Mirror resin. When using Lucere Mirror as a plain sheet, there will be an inherent and unavoidable oil-canning apparent in the surface.
Environmental Info	Easily recycled. Contact your nearest Baresque branch for details.
Finishes	Mirror
Dimensions	Sheet Size Plain Mirror - 2440mm x 1220mm Mirror on Ply - 2400mm x 1200mm
Fabrication Techniques	Standard wood-working tools. See Baresque Mirror Acrylic Handling, Fabrication and Installation Guide for more details.

LUCERE MIRROR

Care Instructions	Do not use glass cleaning products, acetone, gasoline, benzene, lacquer thinner, chlorinated solvents, gritty abrasive scouring compounds, or alkaline cleaners to clean Lucere as damage to the sheet will occur. Use warm water, mild detergent, and a soft sponge, cloth, or chamois to clean Lucere Surface contamination may be cleaned using kerosene, hexane, or aliphatic naphtha, or any acrylic cleaner, such as Novus. Always follow manufacturers recommended use and safety procedures Remove any oily residue left behind from solvent cleaning with detergent and water Do not use squeegee, scraper, or synthetic rags that may scratch. When cleaning, never scrub. Gently wipe surface with a soft scratch free cloth. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance. For refinishing, contact Baresque for details
Customisable	No

LUCERE MIRROR

Colour & Finish Options


CARBON


MOLTEN


HAZE


MIST