

Brand: **Symphony** 

Applications: Walls



# **INK SPOTS**

Wallcoverings » Commercial Wallcoverings

Ink Spots is a 132cm wide Type II Wallcovering with an abstract design inspired by an artist brush, that's available in 7 colourways.

✓ Low VOC ✓ Bleach Cleanable ✓ Coordinate available

✓ Anti-Microbial

### Description

As each ink droplet finds its place, a layered pattern of lush colour appears. Inspired by an Artist's drop cloth, Ink Spots delicately paints the surface with soft strokes of varying transparency. The unique gatherings of pigment create a gentle balance between the positive and negative space. Ink Spots' seven versatile colorways.

Offer sophistication and function. Embrace Neutral White and Cream's a la mode tones for a calming ambiance. From the deep, suave blues of Navy and its hospitality vibe to the light, playfulness of Wellness White, perfect for healthcare, lnk Spots is the finishing touch to your canvas.

#### Sustainability

- Low VOC
- 10% Recycled content
- Non-Phthalate
- EPD / HPD

It is the policy of J. Josephson, Inc. to ensure that the activities, products, and services carried out here will be appropriate toward meet-and-exceed compliance with relevant environmental legislation and regulations and other requirements to which it subscribes.

We recognize the interrelationship of productive efficiency with environmental impact. Therefore, while our commitment to the customer is still a top priority, we will also work toward continuous improvement and pollution prevention. To achieve this, we will also set and review environmental objectives and targets within the framework of a documented, implemented and effectively communicated program.

Material Type II Wallcovering

Osnaburg Backing

Pattern Repeat Size 60.96cm h x 132.08cm w

Roll Size 137cm wide x 27.4m - Available by the lineal metre

baresque

Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.
	The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.
	Additional 1-week for Western Australia.
	<ul> <li>Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.</li> </ul>
Suggested Installation	Non-reverse hang alternate drops/straight across match/overlap and double cut.
	Baresque recommends and supplies Roman brand adhesives and primers.
Care Instructions	
Care Instructions	Always use a clean, white, soft cloth.
Care Instructions	Always use a clean, white, soft cloth.  Use cloth with any of the following in preferred order of us:
Care Instructions	
Care Instructions	Use cloth with any of the following in preferred order of us:
Care Instructions	Use cloth with any of the following in preferred order of us:  1: Clear warm water
Care Instructions	Use cloth with any of the following in preferred order of us:  1: Clear warm water  2: Mild solution of liquid detergent and warm water
Care Instructions	Use cloth with any of the following in preferred order of us:  1: Clear warm water  2: Mild solution of liquid detergent and warm water  3: Isopropyl Alcohol (a.k.a. rubbing alcohol)  4: Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a



## Colour & Finish Options

### COLOURWAY CARD






AZ53660 WELLNESS WHITE



AZ53661 CLOUD



AZ53662 NEUTRAL WHITE




AZ53663 GRANITE



AZ53664 CREAM



AZ53665 CALM



AZ53666 NAVY