
Wallcoverings » Commercial Wallcoverings



Brand: **Genon**

Applications: Walls

Wallcoverings » Commercial Wallcoverings

Wicker Park is a Type II wallcovering with a classic design inspired by warm elements. Available in 13 colourways.

✓ Low VOC	✓ Bleach Cleanable	✓ Anti-Microbial
Description	Wicker itself is a staple in the design world, with a centuries-old history. Wicker Park weaves together serious texture, warm natural elements, and classic design. A palette honed to shades that embody the relaxed, organic personality inherent in this material. Whether you're looking for a hint of California cool, New England charm, Southern hospitality, or a wallcovering that warmly envelops the space, Wicker Park brings the vibes.	
Composition	Type II Wallcovering	
	Osnaburg Backing	
Sustainability	• Low VOC	
	• 10% Recycled content	
	Non-Phthalate	
	• EPD / HPD	
	It is the policy of J. Josephson, Inc. to ensure that the activities, products, and services carried out here will be appropriate toward meet-and-exceed compliance with relevant environmental legislation and regulations and other requirements to which it subscribes.	
	We recognize the interrelationship of productive efficiency with environmental impact. Therefore, while our commitment to the customer is still a top priority, we will also work toward continuous improvement and pollution prevention. To achieve this, we will also set and review environmental objectives and targets within the framework of a documented, implemented and effectively communicated program.	
Roll Size	137cm wide x 27.4m - Available by the lineal metre	
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.	
	The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg	



WICKER PARK

Wallcoverings » Commercial Wallcoverings

Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.	
	5: It is recommended that cleaning be done with a natural sponge. A cloth or towel should only be used to tamp dry (not rub). Do not use manmade (i.e. polyester) sponges.	
	4: Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.	
	3: Isopropyl Alcohol (a.k.a. rubbing alcohol)	
	2: Mild solution of liquid detergent and warm water	
	1: Clear warm water	
	Use cloth with any of the following in preferred order of us:	
Care Instructions	Always use a clean, white, soft cloth.	
Installation	Baresque recommends and supply Roman brand adhesives and primers.	
Suggested Installation	Reverse hang / overlap and double cut.	
	 Express delivery is available subject to a surcharge. Contact Baresque for details and pricing. 	
	Additional 1-week for Western Australia.	
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.	



Colour & Finish Options

COLOURWAY CARD

COLOURWAY CARD



W2-WP-01 WHEAT FIELD



W2-WP-02 SAND



W2-WP-03 STRAW



W2-WP-04 CANYON VIEW



W2-WP-05 WATER REED



W2-WP-06 COTTON BREEZE



W2-WP-07 TAUPE



W2-WP-08 HICKORY



W2-WP-09 RAW UMBER



W2-WP-10 SILVER GRASS



W2-WP-11 MORNING FOG



W2-WP-12 SLATE GREY



W2-WP-13-BLACK ONYX

