CHISEL



Brand: **Koroseal**

Collections: **Relic Collection**

Applications: **Walls**

1300 306 399
info@baresque.com.au
baresque.com.au

baresque

CHISEL



CHISEL

Chisel resembles the texture and craftsmanship from an artisan's tool, curving into a soft geometric pattern that's available in 10 colourways.

✓ **Low VOC** ✓ **Bleach Cleanable** ✓ **Anti-Microbial**

Description

Inspired by the vaulted shape of the architecture and sculpture of Europe, Chisel resembles the texture and craftsmanship from an artisan's tool and hand modeled surfaces. It's curves whithin the lines of a soft geometric create a dimensional luminous light, reflective of the open architecture.

Chisel, a sculptural, modern design takes shape in the tile like geometry of repeating organic form. It comes to us from the true influence of the European Masters expresssion of a craft. Each shape contains a unique curved segmentation with a textural softening of the tile's depth and line. The colour resembles the natural tones of being sculpted in stone like alabaster and limestone. The hues represent those of the architectural surroundings of the design's European origin.

Composition

Type II Wallcovering

20 oz. ply Non-Woven backing

Environmental Info

Formaldehyde free

Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognised adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Pattern Repeat Size

46cm V x 132cm H

Roll Size

132/137cm x 27.4m - Available by the lineal metre.

Weight

20 oz. ply (618 g. plm.)

13.3 oz.psy (451 g psm)

CHISEL

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Non reverse hang/overlap double cut.

Baresque recommends and supplies Roman brand adhesives and primers.

Care Instructions

Use cloth with any of the following in preferred order of use:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

Warranty

5-year warranty. Visit **baresque.com.au/warranty** for complete details.

CHISEL

Colour & Finish Options

COLOURWAY CARD



CH21-01 LAPIS

CH21-02 ALABASTER



CH21-03 SCULPTED



CH21-06 AGATE



CH21-07 SOAPSTONE



CH21-08 CARVED



CH21-09 ARGONITE



CH21-10 LIMESTONE



CH21-11 TERRACOTTA



CH21-13 VERDIGRIS

1300 306 399
info@baresque.com.au
baresque.com.au

baresque