

ORGANIC ETCH RIVERS HORIZONTAL


Acoustics » Acoustic Panels



Brand: **Zintra**

ORGANIC ETCH RIVERS HORIZONTAL


Acoustics » Acoustic Panels



ASH



BARK




BRICK



CADET



CHAMBRAY



COBALT



ECRU



FOSSIL



FROST



GRASS



GREIGE



IVORY



LINEN



MALACHITE



MANDARIN



MIDNIGHT



OCHRE



OLIVE



PEBBLE



PEWTER




SKY



SMOKE



SUNSHINE



TAR

ORGANIC ETCH RIVERS HORIZONTAL

Acoustics » Acoustic Panels

Naturally flowing lines simple, tactile, and imperfectly perfect Organic Etch Rivers..

- ✓ **Solution Dyed Yarns**
- ✓ **Easy Install**
- ✓ **Bleach Cleanable**
- ✓ **Extended Warranty**
- ✓ **Easy Clean**
- ✓ **Acoustic**
- ✓ **Absorbs Noise**
- ✓ **Environmentally Friendly**

Description

Converging and diverging parallel lines throughout the design Organic Etch Rivers has been creatively designed to add movement, texture and dimension to your space. Available in vertical and horizontal orientations, use them separately or weave them into one design. The perfectly imperfect lines impart calm.

Also available in Horizontal orientation. Organic Etch - Rivers Horizontal.

Available in the full 24-color range, choose from complementary natural tones like Linen, Pebble, and Slate, or be brave and make the designs pop with the vibrancy of Sunshine, Ochre or Cobalt.

Lightweight and easy to cut Organic Etch is the perfect acoustic alternative to traditional commercial wallcoverings.

Dimensions

Available in 1/2" (12mm) ONLY

Standard Sheet Size

48" (1219mm) w x 108" (2743mm) h x 1/2" (12mm)

PET Colours

24 Colors – Ash, Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Sky, Smoke, Sunshine, Tar.

Composition

Zintra Acoustic Panel - 100% Solution Dyed (Color Through) Polyester

Environmental Info

Easily recycled through standard recycling channels

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 1
Specific Extinction - Less than 250m²/kg

Warranty

5-year warranty. Visit [baresque.com.au/warranty](https://www.baresque.com.au/warranty) for complete details.

Lead Time

- 2-3 weeks.
- Additional 1-week for Western Australia.

ORGANIC ETCH RIVERS HORIZONTAL

Acoustics » Acoustic Panels

Assembly & Delivery Ships Flat Pack
Refer installation Instructions

How to Specify 1. Select PET Color
 2. Select Organic Etch Pattern

Care Instructions Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Additional Comments COLOUR DISCLAIMER:

Due to inconsistencies with monitors, and the calibration of your screen, colours may display differently. As they may not be an accurate representation of the true colour we advise requesting a sample.

ORGANIC ETCH RIVERS HORIZONTAL

Acoustics » Acoustic Panels

Colour & Finish Options