EMERSON TEXTURE

Brand: **Versa**

Applications: **Walls**

EMERSON TEXTURE

EMERSON TEXTURE

Emerson Texture is a commercial wallcovering with a textile look that's available in 17 colourways.

✓ **Bleach Cleanable** ✓ **Phthalate Free**

Description

Emerson Texture offers a structured textile look accentuated by a dimensional, bidirectional emboss. This design is offered in 17 colourways ranging from classic neutrals to nuanced accents.

Composition

Vinyl face on a woven backing 20oz (452 g/m²)

Environmental Info

Formaldehyde free

Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognised adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Roll Size

132/137cm x 27.4m - Available by the lineal metre.

Weight

452 gr/m2

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

Lead Time

• 2-weeks (approx.) from Wednesday, subject to stock availability.

• Additional 1-week for Western Australia.

• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

EMERSON TEXTURE

Suggested Installation	Reverse hang / overlap and double cut. Baresque recommends and supply Roman brand adhesives and primers.
Care Instructions	Always use a clean, white, soft cloth. Use cloth with any of the following in preferred order of use: 1: Clear warm water 2: Mild solution of liquid detergent and warm water 3: Isopropyl Alcohol (a.k.a. rubbing alcohol) Remove any detergent with a clean, damp cloth. Gently pat dry. For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration. DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Warranty	5-year warranty. Visit **baresque.com.au/warranty** for complete details.
Additional Comments	Coordinates with Emerson

EMERSON TEXTURE

Colour & Finish Options

COLOURWAY CARD

COLOURWAY CARD

A205-012 BIRCH

A205-038 HEATHER

A205-104 VELLUM

A205-127 BUFF

A205-184 CAMBRIDGE

A205-345 WALDEN POND

A205-372 SEAPORT

A205-592 CURRANT

A205-641 NORFOLK

A205-803 STERLING

A205-819 BRIGHTON



A205-826 ESSEX

A205-833 HARBOR

A205-834 OXFORD

A205-852 CHELSEA GRAY

A205-867 REVERE

A205-882 AMHERST

1300 306 399
info@baresque.com.au
baresque.com.au

baresque