ALSACE



Brand: **Versa**

Applications: **Walls**

1300 306 399
info@baresque.com.au
baresque.com.au

baresque

ALSACE



ALSACE

Alsace is a heavy-duty commercial wallcovering with exceptional resistance to tearing and pulling. It's PVC-free and made of 30% recycled content.

- ✓ **Bleach Cleanable**
- ✓ **Low VOC**
- ✓ **EPD Certified**
- ✓ **HPD Certified**
- ✓ **PVC-Free**

Description

Alsace is a distinctive, small-scale masonry design that mimics slatted tile or stone.

This design is remarkably sculptural with overlapping rectangles at varying depths. In addition, each slat is decoratively etched to create a dynamic collaged effect.

Classic and vintage neutrals from cool white to gold leaf to warm black round out this 12-SKU palette. PVC-free Olefin composite; 30% recycled content; Type III 33 oz.; Drill backing; reverse hang / random match installation.

Composition

Vinyl face on drill backing 33oz (745g/m²)

Environmental Info

Versa's range of PVC wallcoverings is manufactured from 20% recycled content.

-Free of antimicrobials

- Phthalate free

- Heavy metal free

-Low VOC emitting

- CA 01350 complaint

-Free of toxic flame retardants

- Formaldehyde free

- BPA Free

Pattern Repeat Size

Not Applicable

Roll Size

132/137cm x 27.4m - Available by the lineal metre.

Weight

745 (g/m²)

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code ofAustralia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 3
Specific Extinction - Less than 250m²/kg

ALSACE

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang / overlap and double cut.

Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of use:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

Warranty


5-year warranty. Visit **baresque.com.au/warranty** for complete details.

ALSACE

Colour & Finish Options


COLOURWAY CARD

COLOURWAY CARD




AVF23-009 SNOWBIRD


AVF23-014 COEXIST




AVF23-151 ARCH




AVF23-178 GOLD LEAF




AVF23-382 OXIDE




AVF23-426 PICTURESQUE




AVF23-637 FACADE




AVF23-654 MODULAR




AVF23-802 CREST



AVF23-843 PHILOSOPHY



AVF23-886 GRAPHITE



AVF23-898 DARK MATTER

1300 306 399
info@baresque.com.au
baresque.com.au

baresque