LAYERS PANEL




Brand: **Zintra**

Collections: **Layers Panel**

Applications: **Walls**

LAYERS PANEL



Layers Panel - Front View

1300 306 399
info@baresque.com.au
baresque.com.au

baresque

LAYERS PANEL

Create a personalized acoustic masterpiece with Zintra Layers. Panels that are handmade with care, choose from 30 Colours which are cut into strips and applied to a Zintra backing panel.

Description

Elevate your space with the perfect blend of superior acoustics and unique character, courtesy of Zintra Layers.

Discover the innovative technique behind Zintra Layers, where vibrant strips of Colour are meticulously layered onto a Zintra Acoustic panel backer, offering a versatile solution for your acoustic design needs. Whether you're craving a subtle infusion or a bold explosion of Colour, achieve unparalleled acoustics and individuality effortlessly.

With an impressive NRC rating of 0.75, Zintra Layers proves to be both cost-effective and adaptable, suitable for a variety of applications. Its easy fabrication, installation, and pinnability make it a practical choice for any project.

How to Specify

1. Select Layers or Layers 3D design
2. Select Zintra Colour

Composition

Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester

12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²

Sustainability

Zintra is made from 100% recyclable materials.

- 60% post-consumer recycled content from PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% polylactic acid (PLA)

Dimensions

2743mm (108") x 1207mm (47.5")

Fire Rating

ASTM-E84 – Class A classification
AS ISO 9705 – 2003 – Group 1 classification
EN-13501 – B-s2-d0 classification

Supplied As

1 x Layer Panel in selected Colour/s


LAYERS PANEL


Assembly & Delivery	Ships Assembled ready for installation. Refer Installation instructions. Recommended 2 People assembly Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	NRC Up to 1.0

LAYERS PANEL

Colour & Finish Options


Zintra 12mm Solid PET



Aloe



Bluebird



Bark



Brick


Cadet


Chambray


Cobalt



Ecru


Elderberry


Forest



Fossil


Frost



Grass


Greige


Ivory



Linen


Malachite


Mandarin


Meadow



Midnight


Ochre


Olive


Parchment



Pebble



Pewter


1300 306 399
info@baresque.com.au
baresque.com.au

baresque

LAYERS PANEL


Putty



Saffron



Sky



Smoke


Slate


Storm


Sunshine


Tar


Twilight

1300 306 399
info@baresque.com.au
baresque.com.au

baresque