

Brand: Koroseal

Applications: Walls



## LINSEY STRIPE

Wallcoverings » Commercial Wallcoverings



Wallcoverings » Commercial Wallcoverings

Linsey Stripe's charming lines add visual interest. Pairs perfectly with Linsey for a unified look.

✓ Bleach Cleanable	✓ Stain Resistant	✓ Mildew Resistant
Description	The carefully spaced lines and subtle tonal variations in Linsey Stripe create a unique pattern, adding visual interest and charm. Designed to coordinate with Linsey forming a cohesive coordinated ensemble.	
Composition	Vinyl face on a fabric backing Equivalent to 20oz (452 g/m²).	
Environmental Info	Formaldehyde free	
	Heavy metals free	
	Perfluorooctanoic acid free	
	No solvent inks	
	Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.	
	Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.	
	and federal regulations, provide a fa	anufacturers that comply with applicable state ctory that is safe and clean for its employees to ag the manufacturing process to minimize
Pattern Repeat Size	Not Applicable	
Roll Size	132/137cm x 27.4m - Available by the lineal metre.	
Fire Rating	Group Number classification as requ	705 2003 for the purpose of determining the uired by the Building Code of ad on interior wall and ceiling linings.
	The result achieved was: Classification - Group 2 Specific Extinction - Less than 250r	n²/kg
Lead Time	• 2-weeks (approx.) from Wednesda	y, subject to stock availability.
	• Additional 1-week for Western Aus	tralia.
	<ul> <li>Express delivery is available subjected</li> <li>and pricing.</li> </ul>	ct to a surcharge. Contact Baresque for details



## LINSEY STRIPE

Wallcoverings » Commercial Wallcoverings

Sugge	ested
Instal	lation

Reverse hang / overlap and double cut.

Baresque recommends and supply Roman brand adhesives and primers.

#### Care Instructions

Use cloth with any of the following in preferred order of use:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

#### Warranty

5-year warranty. Visit baresque.com.au/warranty for complete details.



### Colour & Finish Options

# COLOURWAY CARD











COLOURWAY CARD

SI21-01 LOOM STRIPE

SI21-02 FLAXEN STRIPE

SI21-03 OATMEAL STRIPE

SI21-04 MOHAIR STRIPE



SI21-05 LINUM STRIPE



SI21-06 HOLLAND STRIPE



SI20-07 ANGORA STRIPE



SI21-08 CASHMERE STRIPE