
Acoustics » Acoustic Panels



Brand: Zintra


Collections: 3D Panel

Applications: Walls

Acoustics » Acoustic Panels



3D Panel Batten 2 Bark



3D Panel Batten Close up



3D Panel Batten 2 Detail

Acoustics » Acoustic Panels

Zintra 3D Panels Batten 2 offer both an intriguing design element and functional acoustic enhancement. Add depth and design to flat surfaces which absorb sound and cancel out soundwaves.

✓ Acoustic✓ Easy Clean	✓ Bleach Cleanable	✓ Easy Install
Description	Seamlessly joined, our 3D Wall Panels offer both an intriguing design element an functional acoustic enhancement for straight or curved walls. These narrow paneboast a small pattern repeat, facilitating easy adjustment for wall-to-wall fitting without the need for custom drawings. Our Batten design is inspired by the timeless appeal of the board and batten pattern. Designed to bring a touch of architectural elegance and visual interest tyour space. Featuring alternating wide boards and vertical battens, this captivat pattern creates a dynamic and textured surface. Its classic yet versatile design effortlessly adds a sense of depth and character to any project.	
	Also Available in Batten 4, Batten 6 and Peaks design	
	Our Peaks design resembles the peaks of mountains. This panel features a seri of angular protrusions arranged in a symmetrical pattern, creating a dynamic at textured surface. Its narrow profile and intricate design make it suitable for a variety of applications, from modern offices and conference rooms to contemporary residential settings.	
	serves a functional purpose by enha	oute to the aesthetics of a space, but it also noing sound absorption and cancelling out s depth and dimension to flat surfaces, ivating focal points.
	Not suitable as a free standing produ	uct.
How to Specify	1. Select Design	
	2. Select Zintra Colour	
Composition	Zintra Acoustic Panel - 100% Solutio	n Dyed (Colour Through) Polyester
	12mm (1/2") -Density 2.4 kg /m ² 0.5	lb/ft²
Sustainability	Zintra is made from 100% recyclable	materials.
	 60% post-consumer recycled content from PET bottles. 	
	• 35% pre-consumer recycled content from PET chips	
	• 5% polylactic acid (PLA)	



Acoustics » Acoustic Panels

Dimensions	Batten 2:	
	• 3 Strips/ set, 1.7m² (18.1SF)	
	• 218mm (8.6") w x 2745mm (108.1") h x 37mm (1.5") d / strip	
	**Please note: Visible width 206mm (8.1")	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	Batten 2 3 Strips (Set) 1.7m² (18.1SF)	
Assembly & Delivery	Ships Flat Packed. Refer Installation instructions.	
	Recommended 2 People assembly	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
Additional Comments	NRC 0.45	

4 of 6



Colour & Finish Options

Zintra 12mm Solid PET







Acoustics » Acoustic Panels





Storm







Zintra Timber Print









Eucalyptus

Ironbark

Merbau

Spotted Gum

