
Acoustics » Acoustic Panels



Brand: **Zintra** Collections: **Emboss Panel** Applications: **Walls**

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels





Emboss Panel Sandglass Detail Elderberry

Emboss Panel Sandglass Detail



Acoustics » Acoustic Panels

Introducing a touch of opulence to acoustic solutions, elevating spaces with both sound absorption and tactile sophistication with Zintra Emboss Panel Sandglass

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	Zintra Emboss Panels brings a touch of luxury to acoustic solutions, combining timeless craftsmanship with advanced technology. These tactile three-dimensiona panels create an immersive experience that transforms the ambiance of any space The warm heather of Zintra softens the environment, ensuring that even the most austere spaces feel inviting.	
	Designed for seamless installation, Zintra Emboss Panels can be installed both vertically or horizontally, offering versatile design possibilities. They provide more than just noise absorption—they tell a story with every surface. Their intricate patterns and dynamic visual effects shift with perspective, adding depth and warmth to any room, making conversations flow effortlessly without echoes or disturbances.	
	Sandglass, inspired by the timeless e captivating pattern features a rhythm the iconic timekeeping device. With it Sandglass adds a touch of refined so	nic interplay of curves and lines, reminiscent o is balanced and symmetrical design,
	Zintra Emboss panels offer a visual symphony that sparks imagination, adding a dash of enchantment to any environment.	
	Please note, Zintra Emboss is suitable for single-sided applications only.	
	Available in 18 great designs.	
	Ascend Celium Constellation Corduroy Corduroy Fine Cumulus Damask Jungle Linked Molecular Rivulet Sandglass Scallop Stitched Tapestry Tidal Tufted Woven	
		nvironments, Zintra Emboss Panels don't just vith their luxurious textures and calming re as visually captivating as they are
	Please note: Zintra Emboss is suitable for single-sided applications only.	
	Don't just design spaces. Craft experiences.	
How to Specify	1. Select Emboss design	
	2. Select Zintra Colour	
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	



Acoustics » Acoustic Panels

Warranty	Visit FAQ for more details.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
Care Instructions	Vacuum to remove dust.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
	Go to the Technical Documents and download the Installation Guide for more details.	
Assembly & Delivery	Ships Flat Pack	
Fabrication Techniques	Utility knife and CNC with oscillating knife.	
Supplied As	1 x Emboss Panel in selected pattern	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
	"Emboss Panel patterns will align with a commercial tolerance of +/- 1mm. Panel thickness may vary by 15%. Pack as required to align face."	
Dimensions	Available in 12mm (1/2") 2743mm (108") x 1118mm (44")	
	• 5% polylactic acid (PLA)	
	 35% pre-consumer recycled content from PET chips 	
	 60% post-consumer recycled content from PET bottles. 	
Sustainability	Zintra is made from 100% recyclable materials.	



Acoustics » Acoustic Panels

Additional Comments NRC 0.35



Acoustics » Acoustic Panels

Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels



Eucalyptus

Ironbark

Merbau

Spotted Gum

