


EMBOSS PANEL TIDAL

Acoustics » Acoustic Panels



Brand: **Zintra**

Collections: **Emboss Panel**

Applications: **Walls**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 7

EMBOSS PANEL TIDAL

Acoustics » Acoustic Panels



Emboss Panel Tidal Ecru Detail



Emboss Panel Tidal Detail

EMBOSS PANEL TIDAL

Acoustics » Acoustic Panels

Introducing a touch of opulence to acoustic solutions, elevating spaces with both sound absorption and tactile sophistication with Zintra Emboss Panel Tidal.

- ✓ **Acoustic**
- ✓ **Bleach Cleanable**
- ✓ **Easy Clean**
- ✓ **Easy Install**

Description

Zintra Emboss Panels brings a touch of luxury to acoustic solutions, combining timeless craftsmanship with advanced technology. These tactile three-dimensional panels create an immersive experience that transforms the ambiance of any space. The warm heather of Zintra softens the environment, ensuring that even the most austere spaces feel inviting.

Designed for seamless installation, Zintra Emboss Panels can be installed both vertically or horizontally, offering versatile design possibilities. They provide more than just noise absorption—they tell a story with every surface. Their intricate patterns and dynamic visual effects shift with perspective, adding depth and warmth to any room, making conversations flow effortlessly without echoes or disturbances.

Tidal, inspired by the mesmerizing ebb and flow of ocean waves, Tidal brings a sense of movement and tranquility to your space. This captivating pattern features dynamic and rhythmic lines that mimic the gentle undulations of water. With its serene and organic design, Tidal adds a touch of coastal elegance and a soothing ambiance to any interior.

Zintra Emboss panels offer a visual symphony that sparks imagination, adding a dash of enchantment to any environment.

Please note, Zintra Emboss is suitable for single-sided applications only.

Available in 18 great designs.

Ascend | Celium | Constellation | Corduroy | Corduroy Fine | Cumulus | Damask | Jungle | Linked | Molecular | Rivulet | Sandglass | Scallop | Stitched | Tapestry | Tidal | Tufted | Woven

In hospitality, commercial, and care environments, Zintra Emboss Panels don't just absorb sound – they elevate spaces with their luxurious textures and calming designs, creating atmospheres that are as visually captivating as they are acoustically sound.

Please note: Zintra Emboss is suitable for single-sided applications only.

Don't just design spaces. Craft experiences.

How to Specify

1. Select Emboss design
2. Select Zintra Colour

EMBOSS PANEL TIDAL

Acoustics » Acoustic Panels

Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester 12mm (1/2") - Density 2.4 kg /m ² 0.5 lb/ft ²
-------------	--

Sustainability	Zintra is made from 100% recyclable materials.
----------------	--

- 60% post-consumer recycled content from PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% polylactic acid (PLA)

Dimensions	Available in 12mm (1/2") 2743mm (108") x 1118mm (44") "Emboss Panel patterns will align with a commercial tolerance of +/- 1mm. Panel thickness may vary by 15%. Pack as required to align face."
------------	---

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
-------------	---

Supplied As	1 x Emboss Panel in selected pattern
-------------	--------------------------------------

Fabrication Techniques	Utility knife and CNC with oscillating knife.
------------------------	---

Assembly & Delivery	Ships Flat Pack Go to the Technical Documents and download the Installation Guide for more details.
---------------------	--

Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
------------------------	---

Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
-------------------	---

EMBOSS PANEL TIDAL

[Acoustics](#) » [Acoustic Panels](#)

Warranty

Visit [FAQ](#) for more details.

Additional Comments

NRC 0.35

EMBOSS PANEL TIDAL

Acoustics » Acoustic Panels

Colour & Finish Options

Zintra 12mm Solid PET



EMBOSS PANEL TIDAL

Acoustics » Acoustic Panels



Slate




Storm



Sunshine



Tar



Twilight

Zintra Timber



Eucalyptus



Ironbark



Merbau



Spotted Gum