
Acoustics » Tiles



Brand: **Zintra** 

Collections: Plain Tiles

Applications: Walls

Acoustics » Tiles



Plain Tile Jigsaw Detail

### 4 Tile Assembly



Assembly Suggestions Plain Tiles Jigsaw

Acoustics » Tiles

Transform your space with Zintra Plain Tiles, Jigsaw. Silence unwanted distractions and foster a serene and productive environment. Sold in sets.

<ul><li>✓ Acoustic</li><li>✓ Easy Install</li></ul>	✓ Bleach Cleanable	✓ Easy Clean
Description	Explore endless design possibilities by mixing and matching Zintra Etch and Pla Tiles. With a diverse range of shapes and a vibrant colour palette, you have the freedom to select from a spectrum of hues, bringing your design vision to life an creating an acoustically minded space.  Experience Effortless Installation with our lightweight and seamless Zintra tiles, ensuring a smooth and hassle-free process. Whether installed wall to wall or as captivating feature artwork, they're the perfect fit for any commercial, education or hospitality setting, seamlessly merging aesthetics with acoustic excellence.	
	Jigsaw	
	, , ,	interlocking puzzle pieces, creating a visually this intricate shapes, Jigsaw adds a sense of
	Available in 14 designs (Includes Tablet – available in 3 sizes)	
	Battleaxe*   Chevon*   Diamond*   Parallelogram   Plank*   Rectangle	Herringbone*   Hexagon*   Hourglass*   Jigsaw     Square*   Tablet
	* Notes designs available in both	Plain and Etch.
	Tiles are sold in sets.	
	Not suitable as a free-standing pr	oduct.
How to Specify	1. Select Design	
	2. Select Zintra Colour	
Composition	Zintra Acoustic Panel - 100% Solu	tion Dyed (Colour Through) Polyester
	12mm (1/2") - Density 2.4 kg /m² (	0.5 lb/ft²
Sustainability	Zintra is made from 100% recyclable materials.	
	60% post-consumer recycled content from PET bottles.	
	35% pre-consumer recycled content from PET chips	
	• 5% polylactic acid (PLA)	



Acoustics » Tiles

Dimensions	<b>Jigsaw:</b> 8 Tiles /set, 2.2m² (23.7 SF) Wide point: 600mm x (23.62") h x 600mm x (23.62") w Narrow point: 525mm (20.67") h x 20.67" (525mm) w	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	<ul> <li>Jigsaw:</li> <li>8 Tiles /set, 2.2m² (23.7 SF)</li> </ul>	
Assembly & Delivery	<ul> <li>Ships Flat Packed.</li> <li>Supplied as a set of individual tiles.</li> <li>Arrange as required.</li> </ul> Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.  Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.  For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.  Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	NRC 0.45-0.75 Directly Mounted	



### Colour & Finish Options


#### Zintra 12mm Solid PET







Acoustics » Tiles





Raku Luster

Raku Jade



Concrete Dark Tint

Concrete Cast

Concrete Polished

#### Acoustics » Tiles



Terracotta Sun Bleached



Terracotta Mission



Terracotta Antique

#### Zintra Premium Wood



Knotty Pine



Maple



Poplar



Australian Walnut



Claro Walnut



Palm Wood



Rustic Walnut



Cherry



Euro Beech



Lacewood



Redwood



White Oak

