Acoustics » Tiles



Brand: **Zintra** Collections: **Etch Tiles** Applications: **Walls, Tiles** 

1300 306 399 info@baresque.com.au baresque.com.au




Acoustics » Tiles



Etch Tiles Chevron Detail

12 Tile Assembly



Assembly Suggestions Etch Tiles Chevron



Acoustics » Tiles

Every line tells a story with Zintra Etch Tiles Chevron. Sculptural, dynamic, and diverse in design, they inspire endless possibilities for dynamic arrangements and playful pattern exploration.

<ul><li>✓ Bleach Cleanable</li><li>✓ Easy Clean</li></ul>	✓ Acoustic	✓ Easy Install	
Description	Zintra Etch Tiles, where acoustic absorption meets dynamic 3D design. Crafted using a 3mm v-groove, the angled blade creates contemporary, design-led patterns that add a touch of sophistication to any space. Whether you're aiming for a progressive, modern interior or a welcoming atmosphere, Zintra Etch offers a range of subtle textures to suit your design needs.		
	Tiles offer a cost-effective solu appeal in commercial, hospitali	of understated to statement Colours, Zintra Etch tion to enhance both sound quality and visual ty, and institutional interiors. Create calming tile tiles, which can be seamlessly integrated with ve look.	
	Install either wall to wall or as feature artwork to create an option suitable for any commercial, education or hospitality environment.		
	Chevron*		
		precision. This captivating pattern showcases a lines, creating a visually dynamic and stylish	
	Available in 15 designs		
		r   Diamond*   Fluted   Herringbone*   Hexagon*   nk*   Shadow Box   Square*   Trapezium*   Triangle*	
	* Notes designs available in bo	th Plain and Etch.	
	Sold in sets.		
	Transform your space with styl	e and acoustic efficiency.	
	Not suitable as a free-standing	product.	
How to Specify	1. Select Design		
	2. Select Zintra Colour		
Composition	Zintra Acoustic Panel - 100% S	olution Dyed (Colour Through) Polyester	
	• 12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft²		
	• 24mm (1" ) - Density 3.6 kg /	m² 0.75 lb/ft²	



Acoustics » Tiles

Zintro io modo from 100% rocuelable motoriale	
Zintra is made from 100% recyclable materials.	
• 60% post-consumer recycled content from PET bottles.	
<ul> <li>35% pre-consumer recycled content from PET chips</li> </ul>	
• 5% polylactic acid (PLA)	
Chevron:	
• 10 tiles / set, 2.9m² (31.7 SF)	
• 600mm (23.62") h x 600mm (23.62") w	
ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
• Chevron 10 Tiles / set, 2.9m² (31.7 SF)	
Ships Flat Packed.	
<ul> <li>Supplied as a set of individual tiles.</li> </ul>	
• Arrange as required.	
Go to the Technical Documents and download the Installation Guide for more details.	
Go to Technical Documents and download the Installation Guide for more details.	
Vacuum to remove dust.	
Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Visit FAQ for more details.	



Acoustics » Tiles

Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	<ul> <li>NRC 0.45-0.75 Directly Mounted</li> <li>Alpha-w Rating Directly Mounted 0.30-0.60</li> </ul>	



Acoustics » Tiles


#### **Colour & Finish Options**

#### Zintra 12mm Solid PET





Acoustics » Tiles



Eucalyptus

Ironbark

Merbau

Spotted Gum

1300 306 399 info@baresque.com.au baresque.com.au

