

MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings



Brand: **Versa**

Collections: **Circon**

Applications: **Walls**

1300 306 399


info@baresque.com.au

baresque.com.au

1 of 5

MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings



MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings

Providing a versatile backdrop for interiors reminiscent of a freshly primed canvas and the feeling of new beginnings. The flaxen emboss emulates a linen texture offering simplicity and visual depth. The 12 colourway palette is rooted in the organic shades of rustic landscapes with rich neutrals and tranquil accent hues.

✓ **Certified Carbon Neutral**

✓ **100% Recycled**

✓ **Low VOC**

✓ **EPD Certified**

✓ **HPD Certified**

Description

Circon is a bio-sourced, carbon neutral, recyclable wallcovering. A first-of-its-kind, this innovative new vinyl wallcovering yields over 70% of the material inputs from biogenic rapidly renewable resource-based chemistry.

Named for its circular economy, Circon is the first vinyl wallcovering technology to close the loop from formation through recycling. By replacing traditional ingredients with rapidly renewable materials that absorb CO₂, Circon reduces emissions during manufacturing. Most importantly, Circon delivers on design, performance and sustainability.

Composition

70% Bio-Sourced

Backing: 100% Bio-Sourced Vinyl

Environmental Info

Named for its circular economy, Circon is the first vinyl wallcovering technology to close the loop from formation through recycling. By replacing traditional ingredients with rapidly renewable materials that absorb CO₂, Circon reduces emissions during manufacturing. Most importantly, Circon delivers on design, performance and sustainability—all at a comparable price to conventional wallcoverings.

It means each yard of Circon continues to make an impact beyond its project life.

AWARD WINNING

CERTIFIED CARBON-NEUTRAL

MORE THAN 70% BIO-SOURCED

100% RECYCLABLE

Roll Size

132/137cm x 27.4m - Available by the lineal metre.

Weight

452 g/m²

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 3

Specific Extinction - Less than 250m²/kg

MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings

- Lead Time**
- 2-weeks (approx.) from Wednesday, subject to stock availability.
 - Additional 1-week for Western Australia.
 - Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
-

Suggested Installation

Reverse hang / overlap and double cut.

Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

Warranty

5-year warranty. Visit [baresque.com.au/warranty](https://www.baresque.com.au/warranty) for complete details.

MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings

Colour & Finish Options

COLOURWAY CARD



ABSO-024-AL FRESCO




ABSO1-006 DAPPLED
LIGHT



ABSO1-081 SALTBED



ABSO1-152
DRIFTWOOD



ABSO1-270 FIDDLE
LEAF



ABSO1-312
AFTERNOON



ABSO1-497 VINTAGE
TOUCH



ABSO1-619 MOCHA




ABSO1-739 SUN
KISSED



ABSO1-803 IRON



ABSO1-846 RAINFALL



ABSO1-885 STONE