
Acoustics » Acoustic Panels



Brand: **Zintra** Collections: **Etch Panel** Applications: **Walls, Ceilings**



Acoustics » Acoustic Panels



Etch Panel Imbue Detail

Etch Panel Imbue Detail



Acoustics » Acoustic Panels

ZintraZintra Etch pairs acoustic performance with sculptural detail. Imbue evokes rainfall with evenly spaced linear etching and generous negative space, delivering a calming sense of flow and visual lightness in acoustic applications.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean		
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.			
	Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.			
	Zintra Etch seamlessly integrates wi design coordination.	th plain Zintra panels, offering versatility in		
		ch, including pattern matching with seamless d Kaleido). The panel size enables join-free king the fitting process effortless.		
	Imbue evokes the delicate rhythm of falling rain, with wide spaces between linear etchings creating a sense of openness and lightness. The design's linear arrangement offers a tranquil, organic flow, while the negative space enhances its calming, fluid quality			
	Zintra Etch is available in 24 great de	esigns		
		ii Imbue Kaliedo Lamella Reed Bed Sine is Topo Torus Troupe Venn Verge Vino VJ Board Wide Volta		
		ed interplay of depth, width and assorted V- dimension and fluid movement that shift with		
	Not suitable as a free standing produ	uct.		
How to Specify	1. Select Design			
	2. Select Zintra Colour			
Composition	Zintra Acoustic Panel - 95% Polyest	er + 5% PLA		
	12mm (1/2") -Density 2.4 kg /m² 0.5	b/ft134		
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classi EN-13501 – B-s2-d0 classification	AS ISO 9705 – 2003 – Group 1 classification		



Supplied As	Ships Flat Packed. Go to the Technical Documents and download the Installation Guide for more details.
Assembly & Delivery	Ships Flat Packed. Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	 Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	Directly Mounted 0.45 With 2" (50mm) air gap 0.85 With 6" (152mm) air gap 0.90



Acoustics » Acoustic Panels

Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels

Slate Zintra Timber Print	Storm	Sunshine	Tar	Twilight
Eucalyptus	Ironbark	Merbau	Spotted Gum	
Zintra Premium Wood	Ł			
Knotty Pine	Maple	Poplar	Australian Walnut	Claro Walnut
Palm Wood	Rustic Walnut	Cherry	Euro Beech	Lacewood
Redwood	White Oak			
KeaWood	white Uak			

Zintra Premium Material

1300 306 399 info@baresque.com.au baresque.com.au

















Acoustics » Acoustic Panels



Stone

Zintra Print Art Studio Colours Frost





Citron	Avocado	Envy	Spruce	Safari
Sage	Wasabi	Matcha	Pistachio	Artichoke
Carmine	Mojito	Seaweed	Mist	Peacock
Aegean	Pigeon	Azure	Sapphire	Indigo
Maya	Regatta	Surf	Powder	Independence



Acoustics » Acoustic Panels





Stone

