

**Acoustics** » Acoustic Panels



Brand: **Zintra** 

Collections: Etch Panel

Applications: Walls, Ceilings







Etch Panel Imbue Detail

**Acoustics** » Acoustic Panels

ZintraZintra Etch pairs acoustic performance with sculptural detail. Imbue evokes rainfall with evenly spaced linear etching and generous negative space, delivering a calming sense of flow and visual lightness in acoustic applications.

✓ Acoustic	Bleach Cleanable	✓ Easy Clean
✓ Easy Install		
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic	

Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.

functionality to your commercial, hospitality, or institutional interior.

Zintra Etch seamlessly integrates with plain Zintra panels, offering versatility in design coordination.

Experience the benefits of Zintra Etch, including pattern matching with seamless hidden joins (excluding VJ Angle and Kaleido). The panel size enables join-free installations from floor to ceiling, making the fitting process effortless.

Imbue evokes the delicate rhythm of falling rain, with wide spaces between linear etchings creating a sense of openness and lightness. The design's linear arrangement offers a tranquil, organic flow, while the negative space enhances its calming, fluid quality..

Zintra Etch is available in 24 great designs

Billow | Craze | Cubix | Deviate | Demi | Imbue | Kaliedo | Lamella | Reed Bed | Sine | Spectrum | Suffuse | Tesselate | Tetris | Topo | Torus | Troupe | Venn | Verge | Vino | VJ Board Angle | VJ Board Narrow | VJ Board Wide | Volta

Our latest Zintra Etch explore a refined interplay of depth, width and assorted V-Cut angles – introducing sculptural dimension and fluid movement that shift with light and perspective.

Not suitable as a free standing product.

How to Specify	Select Design     Select Zintra Colou
Composition	Zintra Acoustic Panel - 95% Polyester + 5% PLA  12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft134
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification



Supplied As	Ships Flat Packed.  Go to the Technical Documents and download the Installation Guide for more details.	
Assembly & Delivery	Ships Flat Packed.  Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.  Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.  For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.  Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	Directly Mounted 0.45   With 2" (50mm) air gap 0.85   With 6" (152mm) air gap 0.90	



#### Colour & Finish Options


#### Zintra 12mm Solid PET







**Acoustics** » Acoustic Panels




Zintra Premium Material

Redwood



White Oak

**Acoustics** » Acoustic Panels



#### Zintra Print Art Studio Colours Pebble



















Stone

#### Zintra Print Art Studio Colours Frost





**Acoustics** » Acoustic Panels



11 of 12

**Acoustics** » Acoustic Panels



Stone