Acoustics » Acoustic Panels



Brand: **Zintra**

Collections: Etch Panel

Applications: Walls, Ceilings



Etch Panel Topo Detail - Parchment



Etch Panel Topo Detail



Etch Panel Topo

Acoustics » Acoustic Panels

Zintra Etch pairs acoustic performance with sculptural detail. Topo layers broad, tapering lines with curved negative space to create a flowing layout that shifts with perspective and light—designed for visual movement and acoustic balance.

✓ Acoustic	Bleach Cleanable	✓ Easy Clean
------------	------------------	--------------

✓ Easy Install

Description

Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.

Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.

Zintra Etch seamlessly integrates with plain Zintra panels, offering versatility in design coordination.

Experience the benefits of Zintra Etch, including pattern matching with seamless hidden joins (excluding VJ Angle and Kaleido). The panel size enables join-free installations from floor to ceiling, making the fitting process effortless.

Topo features a series of widening grooves that taper into finer lines, with a fluid layout creating purposeful negative space between each row. This design offers a dynamic, layered effect that shifts with light, adding depth and texture. When rotated 180 degrees, Topo transforms, offering a fresh perspective and altering the play of light and shadow.

Zintra Etch is available in 24 great designs

Billow | Craze | Cubix | Deviate | Demi | Imbue | Kaliedo | Lamella | Reed Bed | Sine | Spectrum | Suffuse | Tesselate | Tetris | Topo | Torus | Troupe | Venn | Verge | Vino | VJ Board Angle | VJ Board Narrow | VJ Board Wide | Volta

Our latest Zintra Etch explore a refined interplay of depth, width and assorted V-Cut angles – introducing sculptural dimension and fluid movement that shift with light and perspective.

Not suitable as a free standing product.

How to Specify 1. Select Design

2. Select Zintra Colour

Composition Zintra Acoustic Panel - 95% Polyester + 5% PLA

12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft134



Acoustics » Acoustic Panels

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	Ships Flat Packed.
	Go to the Technical Documents and download the Installation Guide for more details.
Assembly & Delivery	Ships Flat Packed.
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	remove the areas, repeat army a cream, material armpenior cream, materials
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Always test in an inconspicuous area first and if you don't see the expected results,
Warranty Customisable	Always test in an inconspicuous area first and if you don't see the expected results, contact us.

4 of 12



Colour & Finish Options


Zintra 12mm Solid PET







Acoustics » Acoustic Panels



6 of 12

Zintra Premium Material

Redwood



White Oak


Acoustics » Acoustic Panels



Zintra Print Art Studio Colours Pebble

















Stone

Zintra Print Art Studio Colours Frost









Acoustics » Acoustic Panels



Stone

