
**Acoustics** » Acoustic Panels



Brand: **Zintra** 

Collections: Etch Panel

Applications: Walls, Ceilings







Etch Panel Troupe Detail

**Acoustics** » Acoustic Panels

Zintra Etch pairs acoustic performance with sculptural detail. Troupe's flowing horizontal lines mimic waves and valleys, with an organic rhythm that can be rotated for a different light effect—perfect for immersive, layered acoustic surfaces.

✓ Acoustic	✓ Bleach Cleanable	✓ Easy Clean
		,

Easy Install

#### Description

Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.

Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.

Zintra Etch seamlessly integrates with plain Zintra panels, offering versatility in design coordination.

Experience the benefits of Zintra Etch, including pattern matching with seamless hidden joins (excluding VJ Angle and Kaleido). The panel size enables join-free installations from floor to ceiling, making the fitting process effortless.

Troupe features sweeping horizontal contours that flow gently across the panel, echoing the undulating rhythm of waves and valleys. With a design that can be rotated 180 degrees for a subtle shift in perspective, Troupe plays with movement and shadow—offering a layered, immersive aesthetic that brings calm and cohesion to acoustic spaces.

Zintra Etch is available in 24 great designs

Billow | Craze | Cubix | Deviate | Demi | Imbue | Kaliedo | Lamella | Reed Bed | Sine | Spectrum | Suffuse | Tesselate | Tetris | Topo | Torus | Troupe | Venn | Verge | Vino | VJ Board Angle | VJ Board Narrow | VJ Board Wide | Volta

Our latest Zintra Etch explore a refined interplay of depth, width and assorted V-Cut angles – introducing sculptural dimension and fluid movement that shift with light and perspective.

Not suitable as a free standing product.

### How to Specify 1. Select Design

2. Select Zintra Colou

#### Composition Zintra Acoustic Panel - 95% Polyester + 5% PLA

12mm (1/2") -Density 2.4 kg /m<sup>2</sup> 0.5 lb/ft134



Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	Ships Flat Packed.
	Go to the Technical Documents and download the Installation Guide for more details.
Assembly & Delivery	Ships Flat Packed.
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	Directly Mounted 0.45   With 2" (50mm) air gap 0.85   With 6" (152mm) air gap 0.90




### Colour & Finish Options

#### Zintra 12mm Solid PET





**Acoustics** » Acoustic Panels




Zintra Premium Material

White Oak

Redwood



**Acoustics** » Acoustic Panels



### Zintra Print Art Studio Colours Pebble



7 of 12











**Acoustics** » Acoustic Panels



Stone

#### Zintra Print Art Studio Colours Frost









**Acoustics** » Acoustic Panels



Stone