
**Acoustics** » Acoustic Panels



Brand: Zintra

Collections: Etch Panel

Applications: Walls, Ceilings



Etch Panel Venn Detail - Ecru



Etch Panel Venn Detail

**Acoustics** » Acoustic Panels

Zintra Etch pairs acoustic performance with sculptural detail. Venn features overlapping circular forms that intersect with bold precision, creating depth, energy, and movement for standout acoustic design moments.

<ul><li>✓ Acoustic</li><li>✓ Easy Install</li></ul>	✓ Bleach Cleanable	✓ Easy Clean
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.	
	Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.	
	Zintra Etch seamlessly integrates with plain Zintra panels, offering versatility in design coordination.	
		ch, including pattern matching with seamless d Kaleido). The panel size enables join-free king the fitting process effortless.
	dynamic interplay of space and stru- layered effect bring a sense of move	ring overlapping circular forms that create a cture. The design's graphic precision and ment and depth, making it a statement piece coustic function to any environment.
	Zintra Etch is available in 24 great designs	
	Billow   Craze   Cubix   Deviate   Demi   Imbue   Kaliedo   Lamella   Reed Bed   Sine   Spectrum   Suffuse   Tesselate   Tetris   Topo   Torus   Troupe   Venn   Verge   Vino   VJ Board Angle   VJ Board Narrow   VJ Board Wide   Volta	
		ned interplay of depth, width and assorted V-dimension and fluid movement that shift with
	Not suitable as a free standing product.	
How to Specify	1. Select Design	
	2. Select Zintra Colour	
Composition	Zintra Acoustic Panel - 95% Polyest	er + 5% PLA
•	44/000 - 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	W 15:40 t



Fire Rating

12mm (1/2") -Density 2.4 kg /m<sup>2</sup> 0.5 lb/ft134

AS ISO 9705 - 2003 - Group 1 classification

ASTM-E84 - Class A classification

EN-13501 - B-s2-d0 classification

Supplied As	Ships Flat Packed.  Go to the Technical Documents and download the Installation Guide for more details.	
Assembly & Delivery	Ships Flat Packed.  Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.  Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.  For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.  Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	Directly Mounted 0.45   With 2" (50mm) air gap 0.85   With 6" (152mm) air gap 0.90	



#### Colour & Finish Options


#### Zintra 12mm Solid PET







**Acoustics** » Acoustic Panels



Zintra Premium Material

Redwood



White Oak

**Acoustics** » Acoustic Panels



#### Zintra Studio Colours Pebble















Stone

#### Zintra Studio Colours Frost









**Acoustics** » Acoustic Panels



Stone

12 of 12