
TEXTILE HERRING

Acoustics » Acoustic Panels



Brand: Zintra

Collections: Premium Prints

Applications: Walls, Ceilings

TEXTILE HERRING

Acoustics » Acoustic Panels

Herring pairs timeless chevron texture with modern acoustic performance. One of four Zintra Textile designs, it features 19 vibrant, fabric-inspired colorways that redefine acoustic design.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	The Look of Fabric. The Sound of Zintra. Zintra Textile collection redefines PET acoustics with the rich texture of woven materials and bold, market-fresh colorways. Designed to rival traditional fabric solutions, this innovative collection introduces 19 striking Pantone-matched colourways, from quiet neutrals to vibrant juxtaposed tones. The palette has been curated to complement contemporary spaces while 4 distinct designs offer new opportunities for creative expression.	
	A refined transparent print effect mimics the allowing the PET base to subtly shine through with all the acoustic performance Zintra is kn endlessly versatile.	n. The result is a fabric-like aesthetic
	Among the standout designs is Herring —a so herringbone pattern. With its rhythmic chevro adds architectural structure and timeless elegipattern interacts beautifully with light.	on detailing and tactile depth, Herring
	Zintra Textile designs bring flexibility, offered orientations. Perfect for workplace, education sound control meets design intent.	
	Textile-inspired. Performance-driven.	
How to Specify	Specify 1. Select Design	
	2. Select Zintra Colour	
	**Print colour is prematched to the base subs	trate.
Composition	Zintra Acoustic Panel - 95% Polyester + 5% F	PLA
	12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft133	
Sustainability	Zintra is made from 100% recyclable materials	S.
	• 60% post-consumer recycled content from I	PET bottles.
	• 35% pre-consumer recycled content from Pl	ET chips
	• 5% polylactic acid (PLA)	
Dimensions	2800mm (110")x 1225mm (48") x 12mm (1/2")	



baresque.com.au



TEXTILE HERRING

Acoustics » Acoustic Panels

Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.	
	Classification - Group 1	
	Specific Extinction - Less than 250m²/kg	
Supplied As	Flat Panel in selected design and colour.	
Assembly & Delivery	Ships Flat Packed.	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Be sure to support the panel during installation to avoid bowing or creasing.	
	Adhere to substrate using contact adhesive, Liquid Nails or Z clips.	
	Panel can also be mechanically fixed using details similar to glass fittings.	
	Download the Handling and Installation guide for full instructions.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local+T2+Z2:AP2	
Additional Comments	Directly Mounted 0.45 With 2" (50mm) air gap 0.85 With 6" (152mm) air gap 0.90	



Colour & Finish Options

Zintra Textile Herring

