TANGLEWOOD



Brand: **Versa**

Applications: **Walls**

TANGLEWOOD

Commercial wallcovering inspired by wood with earthy tones and natural, bio-sourced design.

- ✓ **Bleach Cleanable**
- ✓ **EPD Certified**
- ✓ **Low VOC**
- ✓ **HPD Certified**

Description

Let Tanglewood bring the warmth of nature to your interiors. Inspired by the organic beauty of wood, Tanglewood features a palette of earthy tones that create a grounded, timeless aesthetic. Crafted from 100% bio-sourced osnaburg and free of phthalates, Tanglewood combines natural inspiration with sustainable performance for commercial spaces.

Composition

Circon Bio-sourced vinyl on Bio-sourced Osnaburg backing - (452 g/m^2)

Environmental Info

Named for its circular economy, Circon is the first vinyl wallcovering technology to close the loop from formation through recycling. By replacing traditional ingredients with rapidly renewable materials that absorb CO2, Circon reduces emissions during manufacturing. Most importantly, Circon delivers on design, performance and sustainability—all at a comparable price to conventional wallcoverings.

It means each yard of Circon continues to make an impact beyond its project life.

AWARD WINNING

CERTIFIED CARBON-NEUTRAL

MORE THAN 70% BIO-SOURCED

100% RECYCLABLE

Pattern Repeat Size

N/A

Roll Size

132/137cm x 27.4m - Available by the lineal metre.

Weight

452 g/m^2

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

TANGLEWOOD

Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	Non reverse hang/overlap double cut. Baresque recommends and supplies Roman brand adhesives and primers.
Care Instructions	Use cloth with any of the following in preferred order of use: 1: Clear warm water 2: Mild solution of liquid detergent and warm water 3: Isopropyl Alcohol (a.k.a. rubbing alcohol) Remove any detergent with a clean, damp cloth. Gently pat dry. For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration. Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Warranty	5-year warranty. Visit **baresque.com.au/warranty** for complete details.

TANGLEWOOD

Colour & Finish Options



Colourway Card


ABS07-752 - ACACIA


ABS07-819 - ANTIQUE WHITE


ABS07-166 - BEECH


ABS07-883 - CHARWOOD


ABS07-346 - HEMLOCK


ABS07-637 - HICKORY


ABS07-491 - JUNIPER


ABS07-127 - MAGNOLIA


ABS07-040 - MAPLE


ABS07-105 - NUTMEG


ABS07-640 - SPRUCE


ABS07-685 - WALNUT

1300 306 399
info@baresque.com.au
baresque.com.au

baresque