

# FORM

Wallcoverings » Commercial Wallcoverings



Brand: **Symphony**

Collections: **Form**

Applications: **Walls**

1300 306 399

[info@baresque.com.au](mailto:info@baresque.com.au)

[baresque.com.au](http://baresque.com.au)

1 of 4

# FORM

Wallcoverings » Commercial Wallcoverings

Commercial wallcovering with sweeping curves that balance bold structure and refined flow.

- ✓ Bleach Cleanable
- ✓ EPD Certified
- ✓ Low VOC
- ✓ HPD Certified

Description	Let Form bring bold elegance to your walls. Inspired by Ellsworth Kelly’s mastery of form, Form features ample sweeping curves that create a harmonious balance between structure and flow. Crafted with a non-woven backing and anti-microbial protection, Form is available in multiple beautiful colourways, offering both refined design and reliable performance for commercial spaces. Part of the Form Collection, Form pairs seamlessly with Form Fibre to create dynamic yet cohesive interiors.
Composition	Vinyl face on a fabric backing (469.7 g/m²)
Environmental Info	<p>Formaldehyde free</p> <p>Heavy metals free</p> <p>Perfluorooctanoic acid free</p> <p>No solvent inks</p> <p>Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.</p> <p>Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.</p> <p>Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.</p>
Pattern Repeat Size	45.7 cm V
Roll Size	132cm wide X 27.4m- Available by the lineal metre.
Weight	469.7 g/m2

# FORM

Wallcoverings » Commercial Wallcoverings

---

Fire Rating	<p>Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.</p> <p>The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m<sup>2</sup>/kg</p>
Lead Time	<ul style="list-style-type: none"><li>• 2-weeks (approx.) from Wednesday, subject to stock availability.</li><li>• Additional 1-week for Western Australia.</li><li>• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.</li></ul>
Suggested Installation	<p>Non reverse hang/overlap double cut.</p> <p>Baresque recommends and supplies Roman brand adhesives and primers.</p>
Care Instructions	<p>Always use a clean, white, soft cloth.</p> <p>Use cloth with any of the following in preferred order of us:</p> <ol style="list-style-type: none"><li>1: Clear warm water</li><li>2: Mild solution of liquid detergent and warm water</li><li>3: Isopropyl Alcohol (a.k.a. rubbing alcohol)</li><li>4: Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.</li><li>5: It is recommended that cleaning be done with a natural sponge. A cloth or towel should only be used to tamp dry (not rub). Do not use manmade (i.e. polyester) sponges.</li></ol>
Warranty	<p>5-year warranty. Visit <a href="https://baresque.com.au/warranty">baresque.com.au/warranty</a> for complete details.</p>

# FORM

Wallcoverings » Commercial Wallcoverings

## Colour & Finish Options



Colourway Card



Baked - AZ53875FM



Bone - AZ53874FM



Figgy - AZ53877FM



Gritty - AZ53872FM



Kohl - AZ53873FM



Moonspun -  
AZ53871FM



Warm - AZ53876FM



White - AZ53870FM