TRANSPOSITION



Brand: **Bi Mei**

Collections: **Living Woods**

Applications: **Walls**

TRANSPOSITION

Wood-grain wallcovering with intersecting panels that create modern geometric movement.

Description	Let Transposition redefine your walls with subtle geometry and layered movement. This decorative wallcovering features shifting wood-grain panels arranged in intersecting directions, creating a modern patchwork of texture and tone. The interplay of angled lines and natural warmth gives the surface both rhythm and quiet sophistication. Rooted in timeless materiality yet distinctly contemporary, Transposition offers a versatile backdrop that elevates any interior with understated elegance. Part of the Living Woods Collection, each design is crafted from wood veneer. Celebrating the natural beauty of timber, the collection transforms walls with warmth, texture, and timeless sophistication.
Composition	Wood Veneer (270 g/m^2)
Pattern Repeat Size	45.8 cm V / 91.5 cm H
Roll Size	92cm x N/A - Available by the lineal metre.
Weight	270 g/m^2
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings. The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 4-5 weeks. • Additional 1-week for Western Australia.
Suggested Installation	Non-reverse hang / butt join. If your order contains several numbered rolls of one single item/ reference, please first install the roll with the highest number,and then continue to install the other rolls in sequence,in descending order. Measure and cut 3 strip lengths. Add 5 to 10 cm to top and bottom of each strip. For printed patterns, plan your match from the roll before cutting Mark each strip coming from the roll on the back and hang in the same sequence Reverse alternate lengths when instructed to do so by label on the roll

TRANSPOSITION

Care Instructions	Always use a clean, white, soft cloth. Remove liquid stains immediately using a dry cloth. Avoid hard scrubbing. For tougher stains, dampen the cloth with warm water or a weak dilution of liquid detergent and apply being careful not to soak the material. Always work towards the centre of the stain so as to avoid further spreading. Remove any detergent with a clean, damp cloth. Gently pat dry. Always test in an inconspicuous area first.
Warranty	2-year warranty. Visit **baresque.com.au/warranty** for complete details.

TRANSPOSITION

Colour & Finish Options



HJ6438



HJ6439



HJ6440



HJ6441



HJ6442



HJ6443

1300 306 399
info@baresque.com.au
baresque.com.au

baresque