

BOX BAFFLES UNIFORM SLIM

Acoustics » Acoustic Baffles



Brand: **Zintra**

Collections: **Box Baffles**

Applications: **Walls**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 8

BOX BAFFLES UNIFORM SLIM

Acoustics » Acoustic Baffles




Box Baffle Uniform Slim - Direct Mount



BOX BAFFLES UNIFORM SLIM

Acoustics » Acoustic Baffles



BOX BAFFLES UNIFORM SLIM

Acoustics » Acoustic Baffles




Box Baffle Uniform Slim - Direct Mount Detail



BOX BAFFLES UNIFORM SLIM

Acoustics » Acoustic Baffles



BOX BAFFLES UNIFORM SLIM

Acoustics » Acoustic Baffles

A sleek, modern ceiling solution balancing coverage, sound control, and design. The shallowest Box Baffle at 3.5" (90mm), Uniform Slim creates maximum coverage with 15 baffles per system.

Description	Zintra Box Baffles Systems are prefabricated, ceiling-mounted systems that bring rhythm, dimension, and high-performance acoustics to any space. Suspended in perfectly spaced rows, the box-shaped design not only looks substantial but also improves sound absorption, capturing noise within and increasing the NRC rating. Lightweight, modular, and scalable, these systems are easy to assemble, easy to install, and a visually striking alternative to traditional mineral fibre ceilings. Uniform Slim Box Baffle Systems Has the shallowest depth at 3.5" (90mm) and 15 baffles per system. Its slim profile delivers maximum coverage with a light, elegant ceiling line that controls sound without overwhelming the space. Available in two sizes, 39" (1000mm) w x 94.5" (2400mm) d and 93" (2362mm) w x 94.5" (2400mm) d, Slim is ideal for projects that call for subtle impact with strong acoustic performance. Design Options Choose from uniform or mixed Box Baffle Systems to suit your design vision. Uniform Slim, Wide, Span, and Grand offer clean, linear profiles, while Freeform layers Slim, Wide, and Span for subtle variation. Fusion combines all four sizes for bold, architectural statements. With a wide array of designs, Zintra Box Baffles are ideal for large, noisy spaces such as educational institutions, shopping centres, restaurants, and airports, where performance meets aesthetic appeal.
-------------	--

How to Specify	1. Space Size 2. Layout Of Baffles Within Space 3. Baffle Depth 4. Installation System or Set 5. Hardware 6. Select Connection Method 7. Select Colour
----------------	--

Dimensions	1000 mm (39") w x 2400mm (94.5") d x 90mm (3.5") h 2362mm (93") w x 2400mm (94.5") d x 90mm (3.5") h
------------	--

BOX BAFFLES UNIFORM SLIM

Acoustics » Acoustic Baffles

Supplied As	15 Baffles 60 150 x 1" (25mm) Clear Beams Clips 2 3 x 1" (25mm) Cross Runner (Standard Black) 4 6 End Caps 3 x ASK's (per cross runner)
Suggested Installation	Be sure to support the panel during installation to avoid bowing or creasing. Fix wire to floor and ceiling leaving a gap between to fit screen. Adjust pivoting support to desire height, fit screen. Download the Handling and Installation guide for full instructions.
Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	Without Air Gap: Up to 0.90 With 610mm (24") Air Gap: Up to 0.95

BOX BAFFLES UNIFORM SLIM

Acoustics » Acoustic Baffles

Colour & Finish Options